Printing date 01.02.2022

Version number 1.0



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: CROSS POWER 4T SAE 5W/40 JASO MA2
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture
 Only for proper handling.
 Engine oil
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous components:

Mineral oils (mixture)	≥1-≤7.5%
Asp. Tox. 1, H304	
Reaction products of Benzeneamine, N-phenyl- with nonene (branched) Aquatic Chronic 4. H413	≥0.25-≤2.5%
r the wording of the listed hazard phrases refer to section	16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)

Printing date 01.02.2022

Version number 1.0



Trade name: CROSS POWER 4T SAE 5W/40 JASO MA2

(Contd. of page 1)

- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
36878-2	20-3 Reaction products of Benzeneamine, N-phenyl	- with nonene (branched)
Oral	DNEL/general population/Systemic effects/Long-term	0.25 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	5 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	2.5 mg/kg/24h (consumer)
		(Contd. on page 3)

- GB -

Oil of Switzerlan Revision: 01.02.2022

Printing date 01.02.2022

Version number 1.0

Trade name: CROSS POWER 4T SAE 5W/40 JASO MA2

	(Contd. of page
PNECs	
36878-20-3 Reaction products of Benzeneami	
PNEC / Aquatic organisms / Freshwater	0.1 mg/l (aquatic organisms)
PNEC / Aquatic organisms / Marine water	0.01 mg/l (aquatic organisms)
PNEC/Aquatic org/intermittent releases(freshwat	
PNEC/Aquatic organisms/Sewage treatment plar	
PNEC / Aquatic organisms / Sediment (freshwate	er) 132,000 mg/kg (aquatic organisms)
PNEC / Aquatic organisms / Sediment (marine w	ater) 13,200 mg/kg (aquatic organisms)
PNEC / Terrestrial organism / Soil	263,000 mg/kg (terrestrial organisms)
Additional information: The lists valid during th	e making were used as basis.
Hand protection The glove material has to be impermeable a preparation. Selection of the glove material on consideration degradation Material of gloves The selection of the suitable gloves does not only	onal protective equipment k. nist: use mask with filter type A2, A2/P2 or ABEK. and resistant to the product/ the substance/ th of the penetration times, rates of diffusion and th y depend on the material, but also on further mark facturer. As the product is a preparation of sever
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou	
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed.	ut by the manufacturer of the protective gloves ar
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou	ut by the manufacturer of the protective gloves ar
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur	ut by the manufacturer of the protective gloves ar
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing	ut by the manufacturer of the protective gloves ar ring refilling
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr	ut by the manufacturer of the protective gloves ar ring refilling roperties
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic	ut by the manufacturer of the protective gloves ar ring refilling roperties
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information	ut by the manufacturer of the protective gloves ar ring refilling roperties
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found our has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state	ut by the manufacturer of the protective gloves ar ring refilling Operties ral properties
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour:	ut by the manufacturer of the protective gloves ar ring refilling Operties ral properties Fluid
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour: Odour threshold:	ut by the manufacturer of the protective gloves ar ring refilling Toperties Fal properties Fluid Brown Characteristic Not determined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point:	ut by the manufacturer of the protective gloves ar ring refilling Operties Fluid Brown Characteristic
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and	ut by the manufacturer of the protective gloves ar ring refilling TOPERTIES Fluid Brown Characteristic Not determined. Undetermined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found our has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range	ut by the manufacturer of the protective gloves ar ring refilling TOPERTIES Fluid Brown Characteristic Not determined. Undetermined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found ou has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability	ut by the manufacturer of the protective gloves ar ring refilling TOPERTIES Fluid Brown Characteristic Not determined. Undetermined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found our has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit	ut by the manufacturer of the protective gloves ar ring refilling TOPERTIES Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found our has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	ut by the manufacturer of the protective gloves ar ring refilling Coperties Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found our has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	ut by the manufacturer of the protective gloves and ring refilling Operties Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. Not determined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found our has to be observed. Eye/face protection Goggles recommended dur Body protection: Protective work clothing SECTION 9: Physical and chemical pr 9.1 Information on basic physical and chemic General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	ut by the manufacturer of the protective gloves and ring refilling Coperties Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined.

Printing date 01.02.2022

Version number 1.0



Trade name: CROSS POWER 4T SAE 5W/40 JASO MA2

	(Contd. of page
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	88.5 mm²/s @ 40 °C
Consistency	
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Heat Capacity	
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.852 g/cm³ (ASTM D 4052)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	
and environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
•	
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

GB -

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31



Printing date 01.02.2022

Version number 1.0

Trade name: CROSS POWER 4T SAE 5W/40 JASO MA2

(Contd. of page 4)

List II

List II

List II, III

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

 \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 \cdot Acute toxicity

· LD/LC50 values relevant for classification:

36878-20-3 Reaction products of Benzeneamine, N-phenyl- with nonene (branched)

Oral LD50 5,000 mg/kg (rat) NOEL 100 mg/kg/24h (rat)

Dermal LD50 2,000 mg/kg (rat)

11.2 Information on other hazards

· Endocrine disrupting properties

540-97-6 Dodecamethylcyclohexasiloxane

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane 556-67-2 octamethylcyclotetrasiloxane

SECTION 12: Ecological information

· 12.1 Toxicity

C50100 mg/l/96h (fish)C058 mg/l/96h (fish)C100100 mg/l/96h (fish)C50100 mg/l/24h (aquatic invertebrates)C50870 mg/l/96h (algae / cyanobacteria)C50100-600 mg/l/72h (algae / cyanobacteriC50100 mg/l/48h (aquatic invertebrates)OEC10-100 mg/l/72h (algae / cyanobacteria)OEC33 mg/l/96h (algae / cyanobacteria)2.2 Persistence and degradability No furth2.3 Bioaccumulative potential6878-20-3 Reaction products of Benzeneaartition coefficient7.5-11.7 [] (log Kow) (Biodegradability1 % (28d) (Biodegradability2.4 Mobility in soil No further relevant inform2.5 Results of PBT and vPvB assessmentBT: Not applicable.PvB: Not applicable.	a)
C100100 mg/l/96h (fish)C50100 mg/l/24h (aquatic invertebrates)C50870 mg/l/96h (algae / cyanobacteria)C50100-600 mg/l/72h (algae / cyanobacteria)C50100 mg/l/48h (aquatic invertebrates)OEC100 mg/l/72h (algae / cyanobacteria)OEC10-100 mg/l/72h (algae / cyanobacteria)OEC33 mg/l/96h (algae / cyanobacteria)2.2 Persistence and degradability No furthe2.3 Bioaccumulative potential6878-20-3 Reaction products of Benzeneaartition coefficient7.5-11.7 [] (log Kow) (B1 % (28d) (Biodegradability2.4 Mobility in soil No further relevant inform2.5 Results of PBT and vPvB assessmentBT: Not applicable.PvB: Not applicable.	a)
C50100 mg/l/24h (aquatic invertebrates)C50870 mg/l/96h (algae / cyanobacteria)C50100-600 mg/l/72h (algae / cyanobacteria)C50100 mg/l/48h (aquatic invertebrates)OEC100 mg/l/72h (algae / cyanobacteria)OEC33 mg/l/96h (algae / cyanobacteria)2.2 Persistence and degradability No furth2.3 Bioaccumulative potential6878-20-3 Reaction products of Benzenealartition coefficient7.5-11.7 [] (log Kow) (B1 % (28d) (Biodegradability2.4 Mobility in soil No further relevant inform2.5 Results of PBT and vPvB assessmentBT: Not applicable.PvB: Not applicable.	a)
C50870 mg/l/96h (algae / cyanobacteria)C50100-600 mg/l/72h (algae / cyanobacteria)C50100 mg/l/48h (aquatic invertebrates)OEC10-100 mg/l/72h (algae / cyanobacteria)OEC33 mg/l/96h (algae / cyanobacteria) 2.2 Persistence and degradability No furthe 2.3 Bioaccumulative potential6878-20-3 Reaction products of Benzenea artition coefficient7.5-11.7 [] (log Kow) (Biodegradability1 % (28d) (Biodegradabili 2.4 Mobility in soil No further relevant inform 2.5 Results of PBT and vPvB assessmentBT: Not applicable. PvB: Not applicable.	a)
C50100-600 mg/l/72h (algae / cyanobacteC50100 mg/l/48h (aquatic invertebrates)OEC10-100 mg/l/72h (algae / cyanobacteria)OEC33 mg/l/96h (algae / cyanobacteria)2.2 Persistence and degradability No furth2.3 Bioaccumulative potential6878-20-3 Reaction products of Benzeneaartition coefficient7.5-11.7 [] (log Kow) (B1 % (28d) (Biodegradability2.4 Mobility in soil No further relevant inform2.5 Results of PBT and vPvB assessmentBT: Not applicable.PvB: Not applicable.	a)
C50100 mg/l/48h (aquatic invertebrates)OEC10-100 mg/l/72h (algae / cyanobacteria)OEC33 mg/l/96h (algae / cyanobacteria) 2.2 Persistence and degradability No furthe 2.3 Bioaccumulative potential6878-20-3 Reaction products of Benzenea artition coefficient7.5-11.7 [] (log Kow) (Biodegradability1 % (28d) (Biodegradabili 2.4 Mobility in soil No further relevant inform 2.5 Results of PBT and vPvB assessmentBT: Not applicable. PvB: Not applicable.	a)
OEC10-100 mg/l/72h (algae / cyanobacteriOEC33 mg/l/96h (algae / cyanobacteria)2.2 Persistence and degradability No furth2.3 Bioaccumulative potential6878-20-3 Reaction products of Benzeneaartition coefficient7.5-11.7 [] (log Kow) (Biodegradability1 % (28d) (Biodegradabili2.4 Mobility in soil No further relevant inform2.5 Results of PBT and vPvB assessmentBT: Not applicable.PvB: Not applicable.	
OEC 33 mg/l/96h (algae / cyanobacteria) 2.2 Persistence and degradability No furth 2.3 Bioaccumulative potential 5878-20-3 Reaction products of Benzenea artition coefficient 7.5-11.7 [] (log Kow) (B iodegradability 1 % (28d) (Biodegradabili 2.4 Mobility in soil No further relevant inform 2.5 Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable.	
2.2 Persistence and degradability No furth 2.3 Bioaccumulative potential 5878-20-3 Reaction products of Benzenea artition coefficient 7.5-11.7 [] (log Kow) (B iodegradability 1 % (28d) (Biodegradabili 2.4 Mobility in soil No further relevant inform 2.5 Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable.	er relevant information available.
2.3 Bioaccumulative potential 6878-20-3 Reaction products of Benzenea artition coefficient 7.5-11.7 [] (log Kow) (B iodegradability 1 % (28d) (Biodegradabili 2.4 Mobility in soil No further relevant inform 2.5 Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable.	er relevant information available.
6878-20-3 Reaction products of Benzenea artition coefficient 7.5-11.7 [] (log Kow) (B iodegradability 1 % (28d) (Biodegradabili 2.4 Mobility in soil No further relevant inform 2.5 Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable.	
artition coefficient 7.5-11.7 [] (log Kow) (B iodegradability 1 % (28d) (Biodegradabili 2.4 Mobility in soil No further relevant inform 2.5 Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable.	
iodegradability 1 % (28d) (Biodegradabili 2.4 Mobility in soil No further relevant inform 2.5 Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable.	mine, N-phenyl- with nonene (branched)
2.4 Mobility in soil No further relevant inform 2.5 Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable.	oaccumulation)
2.5 Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable.	y) (OECD 301 B)
BT: Not applicable. PvB: Not applicable.	nation available.
PvB: Not applicable.	
2.6 Endocrine disrupting properties	
or information on endocrine disrupting prope	ties see section 11.
2.7 Other adverse effects	
dditional ecological information: eneral notes: Not hazardous for water.	

(Contd. on page 6)

Printing date 01.02.2022

Version number 1.0



Trade name: CROSS POWER 4T SAE 5W/40 JASO MA2

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	Void
 14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	g to Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· purity requirement

Relevant phrases

H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.

(Contd. on page 7)

GB

Printing date 01.02.2022

Version number 1.0



Trade name: CROSS POWER 4T SAE 5W/40 JASO MA2

	(Contd. of page
· Departme	ent issuing SDS: Abteilung Produktsicherheit
	tions and acronyms:
	d relatif au transport international des marchandises dangereuses par route (European Agreement Concerni
the Internati	onal Carriage of Dangerous Goods by Road)
	national Maritime Code for Dangerous Goods ational Air Transport Association
	Ily Harmonised System of Classification and Labelling of Chemicals
	Iropean Inventory of Existing Commercial Chemical Substances
ELINCS: Eu	rropean List of Notified Chemical Substances
CAS: Chem	ical Abstracts Service (division of the American Chemical Society)
	ved No-Effect Level (REACH) licted No-Effect Concentration (REACH)
	al concentration, 50 percent
LD50: Letha	al dose, 50 percent
	tent, Bioaccumulative and Toxic
	Persistent and very Bioaccumulative
	· Aspiration hazard – Category 1 onic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4
,	
Appov:	Exposure scenario 1
AIIIICA.	
	e of the exposure scenario
	use of lubricants and greases in vehicles or machinery
· Sector of	
	ustrial uses: Uses of substances as such or in preparations at industrial sites
Product of	
	eat transfer fluids
	/draulic fluids
	ibricants, greases, release products
· Process	
	Chemical production or refinery in closed process without likelihood of exposure
	s with equivalent containment conditions.
	Chemical production or refinery in closed continuous process with occasional controlle
	or processes with equivalent containment conditions
	Transfer of substance or mixture (charging and discharging) at dedicated facilities
	Transfer of substance or mixture into small containers (dedicated filling line, including
weighing)	
	nental release category
ERC4 U	se of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC7 U	se of functional fluid at industrial site
	on of the activities / processes covered in the Exposure Scenario
See section	on 1 of the annex to the Safety Data Sheet.
· Condition	ns of use
· Duration	and frequency 5 workdays/week.
	parameters
	state Fluid
	ration of the substance in the mixture The substance is main component.
	erational conditions
	erational conditions affecting environmental exposure No special measures required
	erational conditions affecting consumer exposure Not required.
	erational conditions affecting consumer exposure during the use of the product
Not applic	
	agement measures
· Worker p	
	tional protective measures No special measures required.
	I protective measures No special measures required.
	protective measures No special measures required.
	s for consumer protection No special measures required.
measure	(Contd. on page

Printing date 01.02.2022

Version number 1.0



Trade name: CROSS POWER 4T SAE 5W/40 JASO MA2

(Contd. of page 7)

· Environmental protection measures

- Air No special measures required.
- · Water No special measures required.
- · **Disposal measures** Disposal must be made according to official regulations.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging

· Exposure estimation

- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

· Short title of the exposure scenario

Professional use of lubricants and greases in vehicles or machines

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC20 Use of functional fluids in small devices

· Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

- Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid

· Concentration of the substance in the mixture The substance is main component.

· Other operational conditions

• Other operational conditions affecting environmental exposure No special measures required.

- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection

· Organisational protective measures No special measures required.

- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.

· Measures for consumer protection No special measures required.

· Environmental protection measures

· Air No special measures required.

- · Water No special measures required.
- · **Disposal measures** Disposal must be made according to official regulations.
- Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging

(Contd. on page 9)

GB

Printing date 01.02.2022

Version number 1.0



(Contd. of page 8)

Trade name: CROSS POWER 4T SAE 5W/40 JASO MA2

- · Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines
 Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- · Environmental release category
- ERC9a Widespread use of functional fluid (indoor)
- ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities** / **processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product
- Not applicable. • **Risk management measures**
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Disposal must be made according to official regulations.
- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.