Printing date 01.02.2022

Version number 1.0



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: SCOOTER FORZA 4T SAE 5W/40
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Only for proper handling. Engine oil
- · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier:

MOTOREX AG Bern-Zürich-Strasse 31, Postfach CH-4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous components:

. J		
	Mineral oils (mixture)	≥1-≤7.5%
	Asp. Tox. 1, H304	
	Reaction products of Benzeneamine, N-phenyl- with	≥0.25-≤2.5%
	nonene (branched)	
Reg.nr.: 01-2119488911-28	Aquatic Chronic 4, H413	
· Additional information: Fo	r the wording of the listed hazard phrases refer to section	16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)

Printing date 01.02.2022

Version number 1.0



Trade name: SCOOTER FORZA 4T SAE 5W/40

(Contd. of page 1)

GB

- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). 6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
36878-2	20-3 Reaction products of Benzeneamine, N-phenyl	- with nonene (branched)
Oral	DNEL/general population/Systemic effects/Long-term	0.25 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	5 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	2.5 mg/kg/24h (consumer)
		(Contd. on page 3)



Printing date 01.02.2022

Version number 1.0

Trade name: SCOOTER FORZA 4T SAE 5W/40

PNECs	
36878-20-3 Reaction products of Benzeneamin	e N-phenyl- with popene (branched)
PNEC / Aquatic organisms / Freshwater	0.1 mg/l (aquatic organisms)
PNEC / Aquatic organisms / Marine water	0.01 mg/l (aquatic organisms)
PNEC/Aquatic org/intermittent releases(freshwate	
PNEC/Aquatic organisms/Sewage treatment plant	
PNEC / Aquatic organisms / Sediment (freshwater	
PNEC / Aquatic organisms / Sediment (marine wa	ter) 13,200 mg/kg (aquatic organisms)
PNEC / Terrestrial organism / Soil	263,000 mg/kg (terrestrial organisms)
Additional information: The lists valid during the	making were used as basis.
8.2 Exposure controls	
Appropriate engineering controls No further dat	ta; see section 7.
Individual protection measures, such as perso	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Wash hands before breaks and at the end of work	
Do not inhale gases / fumes / aerosols. Pospiratory protoction:	
Respiratory protection: Not necessary if room is well-ventilated.	
Respiratory protection if formation of aerosol or mi	st: use mask with filter type A2 A2/P2 or ABEK
Hand protection	
The glove material has to be impermeable an	d resistant to the product/ the substance/ th
preparation.	,
Selection of the glove material on consideration c	of the penetration times, rates of diffusion and th
degradation	
Material of gloves	
The selection of the suitable gloves does not only	
of quality and varies from manufacturer to manufa	
Substances. The resistance of the glove material ca	an nat ha calculated in advance and has therefo
	an not be calculated in advance and has therefo
to be checked prior to the application.	an not be calculated in advance and has therefo
to be checked prior to the application. Penetration time of glove material	
to be checked prior to the application.	
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out	by the manufacturer of the protective gloves ar
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed.	
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durir	by the manufacturer of the protective gloves ar
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durir Body protection: Protective work clothing	by the manufacturer of the protective gloves ar
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durir	by the manufacturer of the protective gloves ar
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durir Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica	by the manufacturer of the protective gloves an by refilling perties
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durir Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica General Information	by the manufacturer of the protective gloves an by refilling perties I properties
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica General Information Physical state	by the manufacturer of the protective gloves an ng refilling perties I properties Fluid
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Physical state Colour:	by the manufacturer of the protective gloves an ng refilling perties I properties Fluid Brown
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica General Information Physical state Colour: Colour:	by the manufacturer of the protective gloves an ong refilling perties I properties Fluid Brown Characteristic
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica General Information Physical state Colour: Godour: Odour threshold:	by the manufacturer of the protective gloves and the protective gloves ar perties Fluid Brown Characteristic Not determined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point:	by the manufacturer of the protective gloves an ong refilling perties I properties Fluid Brown Characteristic
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and	by the manufacturer of the protective gloves and the protective gloves
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica General Information Physical state Colour: Ddour: Melting point/freezing point: Boiling point or initial boiling point and boiling range	by the manufacturer of the protective gloves and a grefilling perties Fluid Brown Characteristic Not determined. Undetermined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica General Information Physical state Colour: Ddour: Melting point/freezing point: Boiling point or initial boiling point and boiling range	by the manufacturer of the protective gloves and the protective gloves and perties I properties Fluid Brown Characteristic Not determined. Undetermined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durir Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemica General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit	by the manufacturer of the protective gloves and a grefilling perties Fluid Brown Characteristic Not determined. Undetermined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Physical state Colour: Odour: Dodour threshold: Melting point/freezing point: Boiling range Flammability Lower and upper explosion limit Lower: Upper:	by the manufacturer of the protective gloves and ang refilling perties I properties Fluid Brown Characteristic Not determined. Jndetermined. Vot determined. Not determined. Not determined. Not determined.
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Physical state Colour: Ddour: Odour threshold: Melting point/freezing point: Boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	by the manufacturer of the protective gloves ar ang refilling perties I properties Fluid Brown Characteristic Not determined. Jndetermined. Vot applicable. Not determined. Not determined. Not determined. Source of the protective gloves ar and the protective
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out has to be observed. Eye/face protection Goggles recommended durin Body protection: Protective work clothing SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Physical state Colour: Odour: Dodour threshold: Melting point/freezing point: Boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	by the manufacturer of the protective gloves ar ang refilling perties I properties Fluid Brown Characteristic Not determined. Jndetermined. Vot determined. Not determined. Not determined. Not determined.

Oil of Switzerland Revision: 01.02.2022

Printing date 01.02.2022

Version number 1.0

Trade name: SCOOTER FORZA 4T SAE 5W/40

	(Contd. of page
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	88.5 mm²/s @ 40 °C
Consistency	
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Heat Capacity	
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.852 g/cm³ (ASTM D 4052)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	
and environment, and on safety.	
•	Product does not present an explosion hazard.
Explosive properties: Change in condition	r rouuci udes noi present an explosion nazaru.
	Not determined.
Evaporation rate	
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

GB -

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31



Printing date 01.02.2022

Version number 1.0

Trade name: SCOOTER FORZA 4T SAE 5W/40

(Contd. of page 4)

List II

List II

List II, III

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity

· LD/LC50 values relevant for classification:

36878-20-3 Reaction products of Benzeneamine, N-phenyl- with nonene (branched)

Oral LD50 5,000 mg/kg (rat) NOEL 100 mg/kg/24h (rat)

Dermal LD50 2,000 mg/kg (rat)

· 11.2 Information on other hazards

Endocrine disrupting properties

540-97-6 Dodecamethylcyclohexasiloxane

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane 556-67-2 octamethylcyclotetrasiloxane

SECTION 12: Ecological information

· 12.1 Toxicity

36878-2	20-3 Reaction products of Benzeneamine, N-phenyl- with nonene (branched)
LC50	100 mg/l/96h (fish)
LC0	58 mg/l/96h (fish)
LC100	100 mg/l/96h (fish)
EC50	100 mg/l/24h (aquatic invertebrates)
EC50	870 mg/l/96h (algae / cyanobacteria)
EC50	100-600 mg/l/72h (algae / cyanobacteria)
EC50	100 mg/l/48h (aquatic invertebrates)
NOEC	10-100 mg/l/72h (algae / cyanobacteria)
NOEC	33 mg/l/96h (algae / cyanobacteria)
12.2 Pe	ersistence and degradability No further relevant information available.
12.3 Bi	oaccumulative potential
36878-2	20-3 Reaction products of Benzeneamine, N-phenyl- with nonene (branched)
Partitioi	n coefficient 7.5-11.7 [] (log Kow) (Bioaccumulation)
Biodegı	radability 1 % (28d) (Biodegradability) (OECD 301 B)
	obility in soil No further relevant information available.
	esults of PBT and vPvB assessment
	lot applicable. Not applicable.
	ndocrine disrupting properties
For info	ormation on endocrine disrupting properties see section 11.
	ther adverse effects
	onal ecological information:

(Contd. on page 6)

Printing date 01.02.2022

Version number 1.0



Trade name: SCOOTER FORZA 4T SAE 5W/40

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	Void
 14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	g to Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· purity requirement

Relevant phrases

H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.

(Contd. on page 7)

GB

Printing date 01.02.2022

Version number 1.0



Trade name: SCOOTER FORZA 4T SAE 5W/40

	(Contd. of page
Departm	ent issuing SDS: Abteilung Produktsicherheit
	itions and acronyms:
	rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerr
	ional Carriage of Dangerous Goods by Road)
	rnational Maritime Code for Dangerous Goods national Air Transport Association
	ally Harmonised System of Classification and Labelling of Chemicals
EINECS: E	uropean Inventory of Existing Commercial Chemical Substances
	uropean List of Notified Chemical Substances
	nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (REACH)
PNEC: Pre	dicted No-Effect Concentration (REACH)
	al concentration, 50 percent
	al dose, 50 percent
	stent, Bioaccumulative and Toxic
	Persistent and very Bioaccumulative : Aspiration hazard – Category 1
	ronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4
Annex:	Exposure scenario 1
Short tit	e of the exposure scenario
	use of lubricants and greases in vehicles or machinery
Sector o	
SU3 Inc	lustrial uses: Uses of substances as such or in preparations at industrial sites
	category
	eat transfer fluids
	ydraulic fluids
	ubricants, greases, release products
	category
	Chemical production or refinery in closed process without likelihood of exposure
	s with equivalent containment conditions.
	Chemical production or refinery in closed continuous process with occasional control
	or processes with equivalent containment conditions
	Transfer of substance or mixture (charging and discharging) at dedicated facilities
	Transfer of substance or mixture into small containers (dedicated filling line, includ
weighing	
	nental release category
	lse of non-reactive processing aid at industrial site (no inclusion into or onto article)
	lse of functional fluid at industrial site
	ion of the activities / processes covered in the Exposure Scenario
	ion 1 of the annex to the Safety Data Sheet.
	ns of use
	and frequency 5 workdays/week.
	parameters
	state Fluid
	ration of the substance in the mixture The substance is main component.
	erational conditions
	erational conditions affecting environmental exposure No special measures require
	erational conditions affecting environmental exposure No special measures require erational conditions affecting consumer exposure Not required.
	erational conditions affecting consumer exposure during the use of the product
Not appli	
	nagement measures
	protection
	ational protective measures No special measures required.
	al protective measures No special measures required.
	I protective measures No special measures required.
	s for consumer protection No special measures required.
Measure	(Contd. on page

Printing date 01.02.2022

Version number 1.0



Trade name: SCOOTER FORZA 4T SAE 5W/40

(Contd. of page 7)

· Environmental protection measures

- · Air No special measures required.
- · Water No special measures required.
- · **Disposal measures** Disposal must be made according to official regulations.
- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging

· Exposure estimation

- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

· Short title of the exposure scenario

Professional use of lubricants and greases in vehicles or machines

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

· Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC20 Use of functional fluids in small devices

· Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

- Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid

· Concentration of the substance in the mixture The substance is main component.

· Other operational conditions

• Other operational conditions affecting environmental exposure No special measures required.

- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection

· Organisational protective measures No special measures required.

- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.

• Measures for consumer protection No special measures required.

· Environmental protection measures

· Air No special measures required.

- · Water No special measures required.
- · **Disposal measures** Disposal must be made according to official regulations.
- Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging

(Contd. on page 9)

GB

Printing date 01.02.2022

Version number 1.0



(Contd. of page 8)

Trade name: SCOOTER FORZA 4T SAE 5W/40

- · Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines • Sector of Use SU21 Consumer uses: Private households / general public / consumers
- Product category PC24 Lubricants, greases, release products
- Environmental release category
- ERC9a Widespread use of functional fluid (indoor)
- ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities** / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product
- Not applicable.
- · Risk management measures
- Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Disposal must be made according to official regulations.
- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.