



SCOOTER



ADVENTURE



OFF-ROAD

ROAD








# MOTORCYCLE TYRE CATALOGUE 2023

 **BICKERS**

[www.bickers-online.co.uk](http://www.bickers-online.co.uk)





01394 604040

# CONTENTS

<b>SPORT</b>	 MA-SP / 4	<b>ROAD</b> p3-11
<b>SPORT TOURING</b>	 MA-ST2 / 5 CM-S1 / 6	
<b>CRUISER</b>	 M6011 / 7 C6011 / 9	
<b>STREET URBAN</b>	 C6501/C6502 / 8 C918 / 8 M918 / 8 C6039 / 9 C903 / 9 C905 / 9 C906Y / 9 C910 / 9 C6577 / 9 C919 / 9 CM-NK01 / 10 M6102/M6103 / 10 CM615/CM616 / 11	
<b>STREET CLASSIC</b>	 C107 / 11 C108 / 11 C113 / 11 C117 / 11 C128 / 11 C177 / 11 C180 / 11	

<b>ADVENTURE SPORT</b>	 MA-ADV / 13 CM-A1 / 14	<b>ADVENTURE</b> p12-18
<b>ADVENTURE</b>	 CM-A3 / 15 CM-AD01 / 16 CM509 / 17 C6017 / 17 M6017 / 17	
<b>TRAIL</b>	 M7319/M7320 / 18 C186 / 18 C858 / 18	

<b>SCOOTER SPORT</b>	 CM-SC01 / 20	<b>SCOOTER</b> p19-22
<b>SCOOTER URBAN</b>	 C922 C922F C922R / 21	
<b>SCOOTER CITY</b>	 C6525 / 21 C6577 / 21 C918 / 21 M6029 M6029L / 21	
<b>SCOOTER CLASSIC</b>	 C131 / 22 C6017 / 22	

<b>MX GP</b>	 M7322F / 24 M7332R / 24 M7328 / 25 M7326 / 25	<b>OFF-ROAD</b> p23-27
<b>MX</b>	 M7304 M7305 / 26 CM733 CM734 / 26	
<b>DIRT TRACK</b>	 M7302 / 26	
<b>E-BIKE</b>	 CM708 CM709 / 27 CM713 / 27	

<b>ENDURO</b>	 M7324 / 29 M7332F / 29 M7313 M7314 / 29 M7311 / 29 M7314K / 29 CM723 CM724 / 30 CM731 CM732 / 30	<b>ENDURO</b> p28-30
---------------	---	-------------------------

<b>TUBES &amp; MOUSSES/TOOLS &amp; ACCESSORIES</b>	p31-36
--	--------

<b>TECHNICAL INFORMATYION &amp; TYRE SIZE LISTINGS</b>	p37-47
--	--------

<b>ATV/UTV TYRES</b>	p58-51
----------------------	--------



# ROAD

# SUPERMAXX SPORT

## MA-SP

The Supermaxx Sport offers a massive 30% improvement over its predecessor in life, grip and handling.

- New dual compound high density full silica tread giving 30% more mileage
- New progressive steel spiral belt with high density at the top of the tread for mileage, moving to mid-density as you lean, to low density at full lean giving a bigger contact patch throughout any turn giving reliable cornering with grip and stability
- High drainage tread pattern for wet days
- Reinforced tread grooves increase the tyre stiffness for stability



- Spiral steel belt for straight-line stability
- Progressive spiral belt for a larger contact patch when cornering
- Dual compound rear tyre for improved grip and long life
- Highly-dispersed full-silica compound for extreme grip and traction

	Tyre Size	LSR	TT/TL	Order #
F	110/70-17	54H	TL	2787020
F	120/70-ZR17	58W	TL	2787023

	Tyre Size	LSR	TT/TL	Order #
R	140/70-17	66H	TL	2787021
R	150/60-17	66H	TL	2787022
R	160/60-ZR17	69W	TL	2787024
R	180/55-ZR17	73W	TL	2787025
R	190/55-ZR17	75W	TL	2787027

Tyre Pair	Order #
MA-SP PAIR 120/70-ZR17 and 160/60-ZR17	2787160
MA-SP PAIR 110/70-17 and 140/70-17	2787170
MA-SP PAIR 110/70-17 and 150/60-17	2787175
MA-SP PAIR 120/70-ZR17 and 180/55-ZR17	2787180
MA-SP PAIR 120/70-ZR17 and 190/55-ZR17	2787195

## ROAD


**SUPERMAXX ST**

## MA-ST2



The Supermaxx ST is the rival to all sport-touring tyres, providing impressive performance and great mileage.

- Spiral steel belt for consistent sidewall rigidity
- Maintains structure throughout entire life cycle
- Excellent performance, wet and dry
- Nano-silica compound for immense grip



	Tyre Size	LSR	TT/TL	Order #
F	120/70-ZR17	58W	TL	2789012

	Tyre Size	LSR	TT/TL	Order #
R	160/60-ZR17	69W	TL	2789123
R	180/55-ZR17	73W	TL	2789115
R	190/55-ZR17	75W	TL	2789135
R	190/50-ZR17	73W	TL	2789130

Tyre Pair	Order #
MA-ST2 PAIR 120/70-ZR17 and 160/60-ZR17	2789160
MA-ST2 PAIR 120/70-ZR17 and 180/55-ZR17	2789180
MA-ST2 PAIR 120/70-ZR17 and 190/50-ZR17	2789190
MA-ST2 PAIR 120/70-ZR17 and 190/55-ZR17	2789195

# RIDE MIGRA

## CM-S1

CST has finally entered the radial tyre market with the Ride Migra. CST's first Sports Touring tyre is what you would expect from the largest producer of motorcycle tyres in the world. Developed over many years drawing experience from our sister company Maxxis and working with OE (Original Equipment) manufacturers the Ride Migra is a perfect blend of balance, grip and performance demanded by today's rider.

Our test riders, ex BSB Champions were amazed at the level of grip and they were unable to break it when testing.

- Excellent high-speed stability
- Flexible manoeuvrability and outstanding stability when cornering
- Perfect performance, both in the wet and dry
- Superb ride comfort, ideally suited to sports touring motorcycles
- Radial construction for low fuel consumption on long journeys



	Tyre Size	LSR	TT/TL	Order #
F	120/70-ZR17	58W	TL	2789140

	Tyre Size	LSR	TT/TL	Order #
R	160/60-ZR17	69W	TL	2789141
R	180/55-ZR17	73W	TL	2789142
R	190/50-ZR17	73W	TL	2789143

Tyre Pair	Order #
CM-S1 PAIR 120/70-ZR17 and 160/60-ZR17	2789161
CM-S1 PAIR 120/70-ZR17 and 180/55-ZR17	2789162
CM-S1 PAIR 120/70-ZR17 and 190/50-ZR17	2789163

## Classic

### M6011

Maxxis is proud to re-introduce the acclaimed black-wall classic line up after a make-over. Designed to fit and forget, the range offers a deep tread for great mileage and water evacuation on a tread compound specially designed for heavy cruisers, on top of a high density carcass that holds its shape through the full turn on the heavy cruisers.

- Specially formulated compound and matched front/rear tread pattern provide excellent traction and durability in dry and wet weather
- Deep offset tread grooves channel water away from the contact patch
- Additional stability is provided by the offset centre rib
- Built for heavy bikes
- Comfortable, reliable touring tyre



	Tyre Size	LSR	TT/TL	Order #
F	MT90-16	74H	TL	2785006
F	120/80-17	61S	TL	2785031
F	120/90-18	65H	TL	2785028
F	100/90-19	57H	TL	2785050
F	110/90-19	62H	TL	2785048
F	80/90-21	48H	TL	2785054

	Tyre Size	LSR	TT/TL	Order #
R	150/90-15	74H	TL	2785018
R	150/80-15	70H	TL	2785017
R	170/80-15	77H	TL	2785007
R	130/90-16	73H	TL	2785020
R	MT90-16	74H	TL	2785011
R	140/90-16	77H	TL	2785024

# MAGSPORT

## C6501/C6502



The MagSport is a high-performance bias ply street tyre. The matching front and rear tread pattern offer improved handling at higher speeds.

This new generation of H-rated tubeless street tyre features a modern pattern that led rainwater away from the contact patch, this improves grip levels offering higher safety characteristics.

Ideal tyre for the modern middle / lightweight commuter.

- Matched front and rear patterns for a variety of road conditions
- Aggressive shoulder tread ensures cornering confidence and rapid water dispersal
- The MagSport tyres offer excellent ride comfort and stability



	Tyre Size	LSR	TT/TL	Order #		Tyre Size	LSR	TT/TL	Order #
F	100/80-17	52H	TL	2760167	R	130/90-16	67H	TL	2760174
F	110/70-17	54H	TL	2760168	R	130/80-17	65H	TL	2760176
F	90/90-18	51H	TL	2760169	R	130/70-17	62H	TL	2760175
F	100/90-19	57H	TL	2760171					

## C918/M918

Fitted OE on many of today's new influx of small cc machines with a classic feel from China. The front and rear are perfectly balanced to deliver the feel and grip demanded by small cc machines.

Tyre Size	LSR	TT/TL	Order #
80/90-17	44S	TL	2760140
90/90-17	49S	TL	2760142
100/80-17	52P	TL	2760145
100/90-17*	55P	TL	2760151
110/80-17	57S	TL	2760149
120/80-17	57S	TL	2760146

\*M918





# ROAD

## C6011

Tyre Size	LSR	TT/TL	Order #
90/90-18	51P	TL	2760161



## C6039

Tyre Size	LSR	TT/TL	Order #
3.00-18	47P	TL	2760159



## C903

Tyre Size	LSR	TT/TL	Order #
3.00-8	38J	TL	2760036



## C905

Tyre Size	LSR	TT/TL	Order #
90/90-18	57P	TL	2760158
100/80-18	59P	TL	2760162



## C906Y

Tyre Size	LSR	TT/TL	Order #
120/80-16	-	TL	2780005



## C910

Tyre Size	LSR	TT/TL	Order #
80/100-18	47P	TL	2760160
2.75-18	42P	TL	2760157



## C6577

Tyre Size	LSR	TT/TL	Order #
R 130/70-17	62P	TL	2760693



## C919

Tyre Size	LSR	TT/TL	Order #
2.50-17	38L	TL	2760155



## CM-NK01



The premium OE tyre on many of today's modern small cc machines from China from Keeway, Lexmoto and Zontes.

Everything underneath the attractive pattern is new with the new lightweight carcass delivering a perfect balance of performance and feel. The new compound delivers a tyre that loves to be ridden hard in any circumstance but is also at home with a gentle commute.

- Innovative profile design delivers nimble riding performance
- Optimised compound provides excellent grip without compromising on mileage and wear performance



	Tyre Size	LSR	TT/TL	Order #		Tyre Size	LSR	TT/TL	Order #
F	100/80-17	52S	TL	2760116	R	130/70-17	62S	TL	2760119
	110/70-17	54S	TL	2760117		R	140/70-17	66S	TL
F	110/80-17	57S	TL	2760118	R	150/60-17	66S	TL	2760121

## M6102/M6103

- Matching front and rear patterns offer improved handling at higher speeds
- Central grooves lead rain water away from the contact patch, improving grip levels and safety characteristics
- Ideal for the modern middle/lightweight commuter



	Tyre Size	LSR	TT/TL	Order #		Tyre Size	LSR	TT/TL	Order #
F	110/70-17	54H	TL	2781076	R	130/70-17	62H	TL	2781087
						150/70-17	69H	TL	2781088
						110/90-18	61H	TL	2781089
						120/90-18	65H	TL	2781086



## CM615/CM616

- Large contact patch provides better driving comfort and stability
- Use front and rear together for optimal performance
- Superior void ratio and groove width design provides excellent low-speed grip performance and enhanced water dispersal



	Tyre Size	LSR	TT/TL	Order #		Tyre Size	LSR	TT/TL	Order #
<b>F</b>	110/70-17	54H	TL	2760181	<b>R</b>	150/60-17	66H	TL	2760183

## C107

Tyre Size	LSR	TT/TL	Order #
2.50-17	38L	TL	2760002



## C108

Tyre Size	PR	TT/TL	Order #
2.50-17	4PR	TL	2760102



## C113

Tyre Size	LSR	TT/TL	Order #
2.50-18	40L	TL	2760004



## C117

Tyre Size	LSR	TT/TL	Order #
2.75-17	41P	TL	2760022



## C177

Tyre Size	PR	TT/TL	Order #
2.50-8	4PR	TL	2720200



## C180

Tyre Size	LSR	TT/TL	Order #
3.00-18	47P	TL	2760005
3.50-18	56P	TL	2760007





# ADVENTURE

# MAXXVENTURE

## MA-ADV

The Maxxventure MA-ADV is the new go-to tyre for the intrepid adventure rider. It's ready to take on all terrains, performing impressively on the autobahn and off.

- Large tread blocks with wide grooves for excellent water dispersion and wet traction
- Combination of tyre construction and tread design provides super straight-line handling and stability
- Optimised pattern design at the shoulder creates a larger contact patch for superior cornering
- Full-silica high-grip compound and enhanced structure makes excellent dry and wet grip



	Tyre Size	LSR	TT/TL	Order #
F	110/80-19	59V	TL	2786017
F	120/70-ZR19	60W	TL	2786018

	Tyre Size	LSR	TT/TL	Order #
R	150/70-17	69V	TL	2786019
R	170/60-ZR17	72W	TL	2786020

# RIDE *AMBRO*

## CM-A1

The Ride Ambro CM-A1 has been developed to provide excellent road comfort and stability on small adventure bikes needing H-rated tyres to medium and large adventure bikes fitted with or without luggage.

The premium tread compound delivers perfect performance on wet or dry surfaces with incredible mileage wherever the journey goes. The CM-A1 is an adventure, multi-directional tyre designed to offer excellent grip on difficult trails with minimal tyre wear.

- Wide, deep grooves for excellent water dispersal and improved wet riding
- Asymmetrical tread pattern to ensure stability and minimal tyre wear
- Large tread blocks for effective grip and stability on sand, rocks and roads



	Tyre Size	LSR	TT/TL	Order #
F	120/70-ZR17	61W	TL	2760297
F	110/80-19	59V	TL	2760291
F	120/70-19	60V	TL	2760292
F	90/90-21	54H	TL	2760290

	Tyre Size	LSR	TT/TL	Order #
R	150/70-17	69V	TL	2760293
R	160/60-ZR17	69W	TL	2760298
R	170/60-17	72V	TL	2760294

Tyre Pair	Order #
CM-A1 PAIR 120/70-ZR17 and 160/60-ZR17	2760285
CM-A1 PAIR 110/80-19 and 150/70-17	2760286
CM-A1 PAIR 120/70-19 and 170/60-17	2760287
CM-A1 PAIR 90/90-21 and 150/70-17	2760289

# ADVENTURE

RIDE **AMBRO**

CM-A3



The Ride-Ambro CM-A3's all new fish scale tread has been designed to offer a 70/30 road/off-road balanced tyre. The tyre is at home on the road offering high-speed stability and comfort or in the mud with great traction.

The tread has been designed with grip and water evacuation in mind with the large blocks offering a perfect balance of traction in mud and sand as well as balanced feel on the road.

- Single steel spiral construction enhances high-speed stability
- Nano-Silica compound improves grip in the wet
- Grooves arrangement guarantees great traction and water/mud dispersal

	Tyre Size	LSR	TT/TL	Order #
F	120/70-17	58H	TL	2785057
F	110/80-19	59V	TL	2785059

	Tyre Size	LSR	TT/TL	Order #
R	160/60-17	69H	TL	2785058

## CM-AD01

The new CST CM-AD01 is a new rugged adventure tyre for today's small to medium adventure bikes. The hard looking tyre perfectly offsets the modern styling of many new bikes.

At home on the road, you can also take the CM-AD01 off road with its upgraded tread compound enhancing its resistance to cutting. The 70/30 road/off-road pattern allows a rider to choose the best tyre for their bike.

The square tread blocks deliver excellent water evacuation, with traction and grip when needed in either mud or sand for those ventures off road.

- Large, crossed, central block pattern provides excellent traction and riding stability, for on and off-road use
- Classic lug pattern block ensures cornering stability
- Special sipes on the grooves improve mud and debris ejection
- Upgraded compound delivers great grip and wearing durability

	Tyre Size	LSR	TT/TL	Order #		Tyre Size	LSR	TT/TL	Order #
F	110/80-17	57S	TL	2760250	R	130/70-17	62S	TL	2760251
F	110/70-17	54S	TL	2760253	R	150/60-17	66S	TL	2760252





# ADVENTURE

## CM509

- The CM509's tread pattern is designed to provide better grip in all weather
- With its improved water evacuation and radial body construction it delivers ultimate riding stability and comfort



	Tyre Size	LSR	TT/TL	Order #
F	110/80-19	59V	TL	2760264
F	90/90-21	54H	TL	2760266

	Tyre Size	LSR	TT/TL	Order #
R	140/80-17	69H	TL	2760260

## TRAXER

### C6017/M6017

- Innovative, versatile motorcycle tyre with aggressive tread for excellent grip and cornering confidence on a variety of surface conditions
- Enables you to ride in every condition, on or off-road
- Curve of the footprint area provides stability at all lean angles
- V-groove tread pattern is designed to allow more efficient water and mud dispersion
- Thickness of the tread gives excellent comfort



	Tyre Size	LSR	TT/TL	Order #
F	110/90-17	60P	TL	2760696
F	100/90-18	56S	TL	2760698
F	90/90-19	52P	TL	2760699
F	90/90-21	54P	TL	2760700

	Tyre Size	LSR	TT/TL	Order #
R	130/80-17	65S	TL	2760697
R	140/80-17*	69H	TL	2760280

\*M6017

# ADVENTURE



## TRAILMAXX

### M7319/M7320

This trail-riding motorcycle tyre is designed to provide grip, comfort and reliability to trail riders everywhere.

- A hybrid between trials and enduro
- Perfect for green-laning
- Designed to provide grip on a wide range of surfaces
- OE fitment on the KTM Freeride
- Performs even on wet, slippery rock

	Tyre Size	LSR	TT/TL	Order #		Tyre Size	LSR	TT/TL	Order #
<b>F</b>	2.75-21	45M	TT	2760319	<b>R</b>	4.00-R18	64M	TT	2760320



### C186

Tyre Size	PR	TT/TL	Order #
3.00-14*	4PR	TT	2760207
3.00-18*	4PR	TT	2760209
3.00-19*	4PR	TT	2760211
3.00-23*	4PR	TT	2760202


\*All E-marked street legal.



### C858

Tyre Size	LSR	TT/TL	Order #
4.60-17*	4PR	TT	2760225
3.00-18*	48N	TT	2760229
3.50-18*	–	TT	2760204
4.10-18*	4PR	TT	2760219
2.75-21*	45P	TT	2760223

\*All E-marked street legal.





# SCOOTER

## CM-SC01



The maxi-scooter tyre has been redefined by the new CM-SC01. Safety and performance are at the heart of the new silica compound that has been balanced to provide semi-racing compound for today's range of scooters reaching up to 130mph.

- Semi-racing compound delivers excellent grip in the dry or in the wet
- New balanced carcass delivers straight line stability and unrivalled cornering performance
- Built for Maxi-Scooter
- A balanced tread pattern cuts through water to deliver grip on the road.
- Silica compound delivers good mileage

Tyre Size	LSR	TT/TL	Order #
120/70-13	59S	TL	2760731
130/70-13	63P	TL	2760732
150/70-13	64S	TL	2760754
130/60-13	53J	TL	2760751
140/60-13	63S	TL	2760753
100/90-14	57P	TL	2760740
100/80-14	48P	TL	2760755
110/80-14	59S	TL	2760756
120/80-14	58S	TL	2760757
110/70-14	50P	TL	2760741
120/70-14	55P	TL	2760733

Tyre Size	LSR	TT/TL	Order #
130/70-14	65P	TL	2760758
140/70-14	68S	TL	2760734
150/70-14	66S	TL	2760760
140/60-14	64P	TL	2760735
140/60-14	64S	TL	2760759
120/70-15	56H	TL	2760742
120/70-15	56S	TL	2760736
160/60-15	67H	TL	2760737
100/80-16	50P	TL	2760738
120/80-16	60P	TL	2760739



# SCOOTER

## C922/C922F/C922R

- A trusted tread designed for a variety of road conditions
- Specially designed shoulder tread delivers cornering confidence
- Designed for scooters and tricycles
- Available in front, rear, left, and right configurations

	Tyre Size	LSR	TT/TL	Order #
F	80/90-14	40P	TL	2760519
F	80/90-16	43P	TL	2760695
F/R	90/90-10	50J	TL	2760650
R	90/90-14	46P	TL	2760520
F/R	100/90-10	56J	TL	2760656
F/R	90/90-12	44J	TL	2760670
F/R	110/70-12	53J	TL	2760729
F/R	120/70-12	51J	TL	2760730
F/R	120/70-12	58P	TL	2760680
F/R	130/70-12	56J	TL	2760685
F/R	130/70-13	57J	TL	2760690



## C6525

	Tyre Size	LSR	TT/TL	Order #
R	110/70-13	54L	TL	2760743
R	130/70-13	63P	TL	2760744



## C6577

	Tyre Size	LSR	TT/TL	Order #
R	90/90-14	46P	TL	2760691
R	90/80-17	46P	TL	2760694



# SCOOTER

## C6017 – white wall

- CST's OE White Wall scooter tyre
- The white wall tyre is wrapped at the factory to help preserve the bright white finish

Tyre Size	LSR	TT/TL	Order #
110/70-12	47P	TL	2760705
120/70-12	58P	TL	2760706



## M6029

This high performance, tubeless moped tyre is designed to safely get you from A to B in the city or the country.

- Same tyre front and rear for easy maintenance
- Precise handling and stability
- Grips in the wet or dry
- Good power displacement
- Economical, high-mileage scooter/moped tyre


Tyre Size	LSR	TT/TL	Order #
100/90-10	56J	TL	2760546
110/80-10	58J	TL	2760551
120/70-10	54J	TL	2760554
130/70-10	59J	TL	2760553
90/90-12	44J	TL	2760555
120/70-12	51J	TL	2760560
120/70-12	51L	TL	2760563
130/70-12	56J	TL	2760561
130/70-12	56L	TL	2760565

Tyre Size	LSR	TT/TL	Order #
140/70-12	65P	TL	2760567
130/70-13	57P	TL	2760584
120/60-13	55P	TL	2760585
130/60-13	53J	TL	2760573
130/60-13	60P	TL	2760574
140/60-13	63L	TL	2760576
100/90-14	57P	TL	2760589
100/70-14	50P	TL	2760587
80/80-14	48P	TL	2760586



## C131

Tyre Size	PR	TT/TL	Order #
3.50-10	4PR	TT	2760106



## C918

Tyre Size	LSR	TT/TL	Order #
<b>R</b> 120/80-14	58L	TL	2760137





# OFF-ROAD

# MAXXCROSS MXST+

## M7322F/M7332R

The Maxxcross MXST+ is a dual compound championship-winning, race-specification motocross tyre designed to deliver the fastest lap times on mid-soft terrain. The offset tread design was the first of its kind, designed to deliver immense traction to the rear wheel right off the gate through to the end of the Moto. The enhanced lightweight pliable carcass improves ride comfort, impact absorption and the all-important rider feel.

- Dual Compound tread pattern delivers bite and grip
- Extremely lightweight MX tyre for maximum speed
- Designed for immediate traction off-the-gate
- Incredibly precise front tyre for immense handling and predictability
- Race specific compound
- Tyre sizes available for kids' and adults' motocross bikes
- Excels in mid-soft terrain
- Championship-winning (MXGP, MXGB and MX Nationals) tyre

Use with **RIGI GOMME** Moussees for best results – see page 31

Positioning MX	Tyre Positioning	Sand + wet sand	Clay and mud	Semi-hard	Loose over hard
Maxxis	Front			<b>MX-ST</b>	
	Rear	<b>MX-SM</b>		<b>MX-ST+</b>	<b>MX-MH (new)</b>



	Tyre Size	LSR	TT/TL	Order #
F	60/100-12	36J	TT	2760364B
F	60/100-14	30M	TT	2760368B
F	70/100-17	40M	TT	2760369B
F	70/100-19	40M	TT	2760370B
F	80/100-21	51M	TT	2760371B

	Tyre Size	LSR	TT/TL	Order #
R	80/100-10	46J	TT	2760386
R	2.75-10	38J	TT	2760372B
R	80/100-12	41M	TT	2760374B
R	90/100-14	49M	TT	2760375B
R	90/100-16	51M	TT	2760376B
R	110/100-18	64M	TT	2760362B
R	120/100-18	68M	TT	2760365B
R	100/90-19	57M	TT	2760377B
R	110/90-19	62M	TT	2760378B
R	120/80-19	63M	TT	2760384



"After testing the MaxxCross tyre range back to back with other brands our decision was easily made with the level of grip and trust we had from the tyres, and we are sure to have the edge over our competition."

Shaun Simpson





# OFF-ROAD

"Before moving to Maxxis, Neil Prince carried out blind tests pitting Maxxis v their old tyre and he was amazed at the results. MX1 rider Josh Gilbert (right) came in after one such session to find he was 1.5 seconds per lap faster than the previous tyres the team used."

Neil Prince



## MAXXCROSS MXSM

### M7328

MXSM is designed for sand and mud and to pair with the MX-ST front for the ultimate championship-winning pairing.

- Enhanced rigidity 'scoop' design for extreme grip from the gate
- Prominent half-shoulder knobs for grip during sharp corners
- Scoop aids in propelling through sand and mud
- Hydrophobic rubber for self-cleaning properties
- Designed to operate consistently across a huge range of temperatures
- Sharp block edges for intense grip
- Reinforced sidewalls for rider comfort



	Tyre Size	LSR	TT/TL	Order #
R	100/90-19	57M	TT	2760349
R	110/90-19	62M	TT	2760350



Use with **RIGI GOMME** Moussees for best results – see page 31

## MAXXCROSS MXMH

### M7326

MXMH is designed for loose over hard and hard surfaces and to pair with the MX-ST front for the ultimate championship-winning pairing.

- The all-new MXMH is designed to perform on intermediate and hard terrain
- Improved construction provides a consistent, compliant feel under cornering, acceleration and braking, giving racers the confidence to charge into any corner
- Tread compound and pattern designed to provide extreme predictability in straight-line acceleration and braking zones



	Tyre Size	LSR	TT/TL	Order #
R	100/90-19	57M	TT	2760308
R	110/90-19	62M	TT	2760309



Use with **RIGI GOMME** Moussees for best results – see page 31

## MAXXCROSS

### M7304/M7305

Tried and test over many years the original Maxxcross pairing of M7034 front and M7305 rear continues to deliver a reliable IT pairing for MX riders across the UK. With 5 green lane, street legal E-Marked sizes the Maxxcross is a perfect choice to take your bike away from the MX track.

- Unique knob and groove tread design offers exceptional and precise handling through intermediate conditions
- Combination of M7304 front with M7305 rear offers uncompromised straight line and cornering balance



	Tyre Size	LSR	TT/TL	Order #
F	2.50-10	33J	TT	2760382
F	60/100-14	30M	TT	2760391
F	70/100-17	40M	TT	2760380
F	70/100-19	42M	TT	2760393
F	80/100-21	51M	TT	2760381E

E at the end of order# = E-marked

	Tyre Size	LSR	TT/TL	Order #
R	2.75-10	38J	TT	2760395
R	80/100-12	50M	TT	2760390
R	90/100-14	49M	TT	2760383
R	90/100-16	51M	TT	2760392
R	110/100-18	64M	TT	2760385E
R	120/100-18	68M	TT	2760386E
R	100/90-19	57M	TT	2760387E
R	110/90-19	62M	TT	2760388E
R	120/90-19	66M	TT	2760389



## BITE MX

### CM733/CM734

When the gate drops and you're aiming for the holeshot you need tires that give you the edge over your opponents. The new CST CM733 and CM734 tyres deliver performance, durability, safety and comfort – all at an affordable cost.

- Tread blocks in central area help release mud for better cornering traction and stability
- Sipes in the tyre blocks supply excellent grip and traction on soft terrain
- Multiple side-by-side rows of tread blocks provide high levels of lateral traction
- Large shoulder tread blocks offer exceptional cornering stability



	Tyre Size	LSR	TT/TL	Order #
F	80/100-21	51M	TT	2760351
F	80/100-21*	51M	TT	2760351B

\* E-marked

	Tyre Size	LSR	TT/TL	Order #
R	100/90-18*	56M	TT	2760356
R	100/90-19	57M	TT	2760357
R	110/90-19	62M	TT	2760358



## DTR-1

### M7302

	Tyre Size	PR	TT/TL	Compound	Order #
F	27.5x7.5-19	4PR	TT	CD3 Soft	2761440
F	27.5x7.5-19	4PR	TT	CD5 Medium	2761435



# OFF-ROAD



## CM708/CM709

The new OE motocross tyre for Electric bikes like Sur-Ron, offering excellent traction and precise handling at maximum speeds. The tough construction provides improved longevity and extreme braking traction through intermediate conditions.

- OE on the Sur-Ron Youth Electric motocross bike
- Enhanced shoulder design and connection between blocks that improves tyre traction and provides excellent braking
- Flexible turning performance and optimum cornering stability
- Powerful bite thanks to the tread blocks in the centre
- Special sip design on blocks to ensure excellent performance and durability
- Perfect for intermediate terrains



	Tyre Size	LSR	TT/TL	Order #
F	70/100-17	40M	TT	2760396
F	70/100-19	42M	TT	2760397

	Tyre Size	LSR	TT/TL	Order #
R	90/100-14	49M	TT	2760398
R	90/100-16	51M	TT	2760399

## CM713

	Tyre Size	LSR	TT/TL	Order #
F	70/100-19	42M	TT	2760352
F	80/100-19	49M	TT	2760353





# ENDURO

# ENDURO

## MaxxEnduro

### M7324

	Tyre Size	LSR	TT/TL	Order #
R	140/80-18	70R	TT	2760307



## MaxxEnduro

### M7332F

	Tyre Size	LSR	TT/TL	Order #
F	90/90-21	54R	TT	2760302



## MAXXCROSS Enduro

### M7313/M7314

	Tyre Size	LSR	TT/TL	Order #
F	90/90-21	54R	TT	2760311

	Tyre Size	LSR	TT/TL	Order #
R	120/90-18	65R	TT	2760315



## MaxxEnduro

### M7311

	Tyre Size	LSR	TT/TL	Order #
F	80/100-21	51M	TL	2760301



## MAXXCROSS Enduro

### M7314K

	Tyre Size	LSR	TT/TL	Order #
R	140/80-18	70R	TT	2760316
R	140/80-18	70R	TT	2760317



Order #	Pattern	Description	Super soft	Soft	Normal
2760301	M7311	80/100-21 M7311 51M TT #E			•
2760311	M7313	90/90-21 M7313 54R TT #E			•
2760315	M7314	120/90-18 M7314 65R TT #E			•
2760316	M7314K	140/80-18 M7314K 70R MS TT #E			•
2760317	M7314K	140/80-18 M7314K 70R Soft TT #E	•		
2760302	M7332F	90/90-21 M7332F 54R TT #E			•
2760307	M7324	140/80-18 M7324 70R TT RE #E			•

Use with **RIGACOMME** Mousse for best results – see page 31

# ENDURO



## BITE *ENDURO*

### CM723/CM724

	Tyre Size	LSR	TT/TL	Order #
F	90/90-21	54M	TT	2760361

	Tyre Size	LSR	TT/TL	Order #
R	140/80-18	70M	TT	2760366



### CM731/CM732

	Tyre Size	LSR	TT/TL	Order #
F	90/90-21	54M	TT	2760360

	Tyre Size	LSR	TT/TL	Order #
R	120/80-18	62M	TT	2760359





### NOT JUST ANOTHER MOUSSE BRAND

World Championships winning mousses across different disciplines of Offroad motorcycle racing. Whether it's Enduro, Extreme Enduro, Offroad or Rally, we've got a mousse for the job. Riga Gomme is premium off-road motorcycle mousses from Italy. The company was founded in 1955 to deliver premium products to the demanding Italian riders, in 2015 Riga Gomme started manufacturing its own mousses and quickly became know as one of the best mousses to use as can be seen by the multiple World Championships. The Maxxis MX-ST+, MX-SM and MX-HD have been developed using Riga Gomme mousses.

### WinX Mousse

Commonly used on the enduro circuit in extreme conditions mousses are now becoming more popular on the motocross scene where race finishes count. The mousse system replaces the conventional inner tube and is manufactured from a foam material to replicate the feel of a inner tube without any sacrifice in grip or tyre performance. To enable Winx Mousses to perform at their best, we recommend they be used within 12 months of the manufacturing date.



Order #	Description	Brand
2925111	2.50-10 CUT STANDARD	Riga Gomme
2925112	2.75-10 CUT STANDARD	Riga Gomme
2925113	60/100-10 CUT STANDARD	Riga Gomme
2925114	70/100-10 CUT STANDARD	Riga Gomme
2925115	2.50-12 CUT STANDARD	Riga Gomme
2925116	60/100-12 CUT STANDARD	Riga Gomme
2925141	80/100-12 CUT STANDARD	Riga Gomme
2925117	60/100-14 CUT STANDARD	Riga Gomme
2925118	90/100-14 CUT STANDARD	Riga Gomme
2925119	90/100-16 CUT STANDARD	Riga Gomme
2925121	110/90-17 F0 STANDARD	Riga Gomme
2925122	120/90-17 M0 RALLY	Riga Gomme
2925123	130/80-17 STANDARD	Riga Gomme
2925124	130/90-17 STANDARD	Riga Gomme
2925125	140/80-17 STANDARD	Riga Gomme
2920174	140/90-17 C1 RALLY	Riga Gomme
2925126	150/70-17 C0 RALLY	Riga Gomme
2925127	170/60-17 C2 RALLY	Riga Gomme
2925120	70/100-17 CUT STANDARD	Riga Gomme
2925131	100/100-18 F1 STANDARD	Riga Gomme
2925130	100/90-18 F0 STANDARD	Riga Gomme
2922965	110/100-18 M0 STANDARD	Riga Gomme
2923635	110/80-18 F0 STANDARD	Riga Gomme
2922968	120/100-18 G2 STANDARD	Riga Gomme
2925132	120/80-18 M0 STANDARD	Riga Gomme
2860709N	120/90-18 & 110/100-18	WinX
2918919	120/90-18 M0 STANDARD	Riga Gomme
2922967	120/90-18 MX EXTREME SUPER SOFT	Riga Gomme
2860710N	140/80-18 & 120/100-18	WinX
2921850	140/80-18 G1 STANDARD	Riga Gomme

Order #	Description	Brand
2922556	140/80-18 G2 RALLY	Riga Gomme
2922688	140/80-18 GX EXTREME SUPER SOFT	Riga Gomme
2922969	140/80-18 MX EXTREME SUPER SOFT	Riga Gomme
2925133	150/70-18 G3 RALLY	Riga Gomme
2925128	4.00-18 M0 STANDARD	Riga Gomme
2925129	4.50-18 G1 STANDARD	Riga Gomme
2860707N	100/90-19 STANDARD	WinX
2921847	100/90-19 D1 STANDARD	Riga Gomme
2925137	110/80-19 D3 STANDARD	Riga Gomme
2925138	110/85-19 D2 STANDARD	Riga Gomme
2860708N	110/90-19 STANDARD	WinX
2921901	110/90-19 STANDARD	X-Fun
2921846	110/90-19 M2 STANDARD	Riga Gomme
2925139	120/70-19 M0 STANDARD	Riga Gomme
2922966	120/80-19 M1 STANDARD	Riga Gomme
2921849	120/90-19 E1 STANDARD	Riga Gomme
2925134	70/100-19 A0 STANDARD	Riga Gomme
2925136	90/100-19 A STANDARD	Riga Gomme
2925135	90/90-19 A0 STANDARD	Riga Gomme
2925140	3.00-21 H2 STANDARD	Riga Gomme
2921900	80/100-21 STANDARD	X-Fun
2860701N	80/100-21 & 90/90-21 STANDARD	WinX
2921852	80/100-21 H1 STANDARD	Riga Gomme
2923634	80/90-21 H0 STANDARD	Riga Gomme
2921851	90/100-21 H3 STANDARD	Riga Gomme
2922963	90/100-21 H4 RALLY	Riga Gomme
2921853	90/90-21 H2 STANDARD	Riga Gomme
2921845	RIGA GOMME MOUSSE GEL 80g	Riga Gomme
2860712	WINX MOUSSE GEL 50ML	WinX

## STREETBIKE/SCOOTER

Order #	Description	Brand
2860656	2.50-8 JS87C	CST
2820151	2.50-8 TR87	CST
2820160	3.00/8 TR4	CST
2820170	3.00-8 JS87C	CST
2820166	3.00-8 TR87	CST
2860619	3.50/4.00-8 JS87C	CST
2820176	3.50/4.00-8 TR87	CST
2860634	2.50/2.75-10 TR4	CST
2820230	3.00/3.50-10 JS87C	CST
2820193	3.50/4.00-10 JS87C	CST
2860658	2.75/3.00-12 JS87C	CST
2860618	3.00/3.25-12 TR4	CST
2860660	2.25/2.50-14 TR4	CST
2860661	2.50/2.75-14 (70/90-14, 80/90-14) TR4	CST
2820194	2.75-14 TR4	CST
2860620	2.75/3.00-14 TR4	CST
2860668	130/90-15 TR4	CST
2860625	2.75/3.00-16 TR4	CST
2860626	3.25/3.50-16 TR4	CST
2860603	2.25/2.50-17 TR4	CST
2860633	2.50/2.75-17 TR4	CST
2860636	2.75/3.00-17 TR4	CST
2860627	3.25/3.50-17 TR4	CST
2860638	3.75/4.00-17 TR4	CST
2860605	2.50/2.75-18 TR4	CST
2860615	2.75/3.00-18 TR4	CST
2860607	3.25/3.50-18 TR4	CST
2860608	3.50/4.00-18 TR4	CST
2860609	4.00/4.50-18 TR4	CST
2860629	2.25/2.50-19 TR4	CST
2860637	2.50/2.75-19 TR4	CST
2860612	2.75/3.00-19 TR4	CST
2860622	3.25/3.50-19 TR4	CST
2860635	3.50/4.00-19 TR4	CST
2860640	2.50/2.75-21 TR4	CST
2860610	2.75/3.00-21 TR4	CST

## MX/ENDURO/ SUPERMOTO HEAVY DUTY

Order #	Description	Brand
2860681	80/100-12 TR4	Maxxis
2860682	60/100-14 TR4S	Maxxis
2860684	90/100-16 TR4	Maxxis
2860675	120/70-17 TR4	CST
2860730	100/110/120 /100-18 TR4	CST
2860688	100/110/120/100-18 TR4	Maxxis
2860697	100/110/120/100-18 TR4	Maxxis
2860689	100/110/120/90-19 TR4	Maxxis
2860698	100/110/120/90-19 TR4	Maxxis



All Maxxis and CST Standard & Heavy Duty tubes are made from a special formula of high-density butyl rubber to ensure the tyre stays inflated.

- Recommended for Motocross and Supercross racing
- The Heavy Duty Tubes are 33.33% thicker than the Standard tubes.

All Maxxis and CST Extra Heavy Duty tubes are made from the same special formula of high-density butyl rubber as the Standard and Heavy Duty tubes.

- Recommended for Enduro and Extreme Enduro
- The Extra Heavy Duty tubes are 100% thicker than the Standard tubes

Order #	Description	Brand
2860731	100/110/120/90-19 TR4	CST
2860686	70/100-19 TR4	Maxxis
2860690	80/100-21 TR4	CST
2860699	80/100-21 TR4	Maxxis
2860732	80/100-21 TR4	CST

## ATV/UTV

Order #	Description	Brand
2820101	145/70-6 TR87	CST
2860642	25/12-9 TR6	CST
2820248	20 x 10-10 TR13	CST

## WHEELCHAIR/IMPLEMENT

Order #	Description	Brand
2820010	2.50/4 (8 x 2) TR13	CST
2820023	2.80/2.50-4 TR87	CST
2820020	3.00-4 TR87	CST
2820025	4.10/3.50-4 TR13	CST
2820030	4.10/3.50-4 TR87	CST
2820008	9/3.50-4 TR87	CST
2820060	11/4.00-5 TR13	CST
2820065	11/4.00-5 TR87	CST
2820040	3.40/3.00-5 TR87	CST
2820041	3.40/3.00-5 TR87	CST
2820044	4.00-5 TR87	CST
2820045	4.10/3.50-5 TR13	CST
2860643	4.10/3.50-5 TR87	CST
2820104	12/6.00-6 TR13	CST
2820090	4.10/3.50-6 (4.00 x 6) TR87	CST
2820100	5.30/4.50-6 TR87	CST
2820103	8.00/6 JS87C	CST
2800002	8 x 1&1/4 WH767P ND32 A45	CST
2820002	80/65-8 TR87	CST
2820186	6.00/9 TR13	CST

Order #	Description	Brand
2820192	3.00/3.25-10 JS87C	CST
2800005	12 x 1/2 x 2&1/4 WH767 right angle	CST
2800008	12&1/2 x 2&1/4 WH767P A 45° valve	CST
2800016	16 x 2.125 SV	CST
2800004	22 x 1&3/8 SV	CST
2800029	22 x 1&3/8 SV	CST
2800031	24 x 1&3/8 SV	CST
2800030	24 x 1.0 SV OEM<-CAP> 25-540/541	CST
2820004	170/35 (WH767P-A45) 45° valve	CST
2820003	200 x 50 TR87	CST
2820184	5.70/8 JS87C	CST

## RIM TAPES

Order #	Diameter	Width
2960904	14"	22mm
2960905	16"	22mm
2960901	17"	22mm
2960902	18"	22mm
2960903	19"	22mm
2960906	21"	22mm
2960922	18"	35mm
2960923	19"	35mm

## ALUMINIUM BLOCK TYPE SECURITY BOLTS


Order #	Description
2959921	WM1 RIM 1.60
2959923	WM2 RIM 1.85
2959924	WM3 RIM 2.15
2959925	WM4 RIM 2.50
1830070	10915 WM1 Tyre Clamp - 2.50/3.00mm (1.60 Inch)
1830070	10916 WM2 Tyre Clamp - 3.25/3.50mm (1.85 Inch)
1830070	10917 WM3 Tyre Clamp - 4.00/4.25mm (2.15 Inch)



# TUBES & MOUSSES


## TUBE SIZING CHART

Tube Size	Will Fit Tyre Size									
2.50/2.75-8	2.50-8	2.75-8								
3.00/3.25-8	3.00-8	3.25-8								
3.50/4.00-8	3.50-8	4.00-8								
2.50/2.75-10	2.50-10	2.75-10								
3.00/3.25-10	3.00-10	3.25-10	80/90-10							
3.50/4.00-10	3.50-10	4.00-10	100/90-10							
2.75/3.00-12	2.75-12	3.00-12	80/100-12	100/80-12						
3.00-3.25-12	3.00-12	3.25-12	80/100-12	100/80-12						
2.75/3.00-14	2.75-14	3.00-14	3.60-14	80/80-14						
3.50/3.75-14	3.50-14	3.75-14	4.10-14	110/80-14						
2.75/3.00-16	2.75-16	3.00-16	80/100-16	80/90-16						
3.00/3.25-16	3.00-16	3.25-16	90/90-16	100/80-16						
3.25/3.50-16	3.25-16	3.50-16	100/90-16	90/100-16	90/90-16	100/80-16				
4.00/4.60-16	4.00-16	4.60-16	120/80-16	110/90-16	120/90-16					
5.00/5.10-16	5.00-16	5.10-16	130/90-16	140/80-16	140/90-16	150/80-16				
2.25/2.50-17	2.25-17	2.50-17	3.10-17	70/100-17						
2.75/3.00-17	2.75-17	3.00-17	3.10-17	80/90-17	100/80-17					
3.00/3.25-17	3.00-17	3.25-17	100/80-17							
3.25/3.50-17	3.25-17	3.50-17	110/80-17							
3.75/4.00-17	3.75-17	4.00-17	120/80-17							
4.00/4.50-17	4.00-17	4.50-17	4.25-17	4.60-17	110/90-17	110/100-17	120/80-17	120/90-17	130/80-17	130/70-17
5.00/5.10-17	5.00-17	5.10-17	130/90-17	140/80-17	140/90-17	5.30-17				
2.25/2.50-18	2.25-18	2.50-18	3.10-18							
2.50/2.75-18	2.50-18	2.75-18	3.10-18	80/90-18						
2.75/3.00-18	2.75-18	3.00-18	3.60-18	80/90-18	90/90-18	80/100-18				
3.00/3.25-18	3.00-18	3.25-18	3.60-18	90/90-18						
3.25/3.50-18	3.25-18	3.50-18	3.60-18	4.10-18	90/90-18	90/100-18	100/90-18	110/80-18		
3.50/4.00-18	3.50-18	4.00-18	4.10-18	4.25-18	4.60-18	100/90-18	100/100-18	110/90-18	120/80-18	
3.75/4.00-18	3.75-18	4.00-18	4.25-18	4.60-18	100/100-18	110/90-18	120/80-18			
4.00/4.50-18	4.00-18	4.50-18	4.25-18	4.60-18	4.70-18	110/90-18	110/100-18	120/80-18	120/90-18	130/70-18 130/80-18
5.00/5.10-18	5.00-18	5.10-18	130/90-18	140/80-18	140/90-18	120/100-18	140/70-18			
2.50/2.75-19	2.50-19	2.75-19	70/100-19							
2.75/3.00-19	2.75-19	3.00-19	3.60-19	90/90-19						
3.00/3.25-19	3.00-19	3.25-19	3.60-19	90/90-19						
3.25/3.50-19	3.25-19	3.50-19	3.60-19	4.10-19	90/90-19	100/90-19	110/80-19			
3.50/4.00-19	3.50-19	4.00-19	4.10-19	4.25-19	4.60-19	100/90-19	110/80-19	110/90-19	120/80-19	
4.00/4.25-19	4.00-19	4.25-19	110/90-90	120/80-19	120/90-19					
2.50/2.75-21	2.50-21	2.75-21	70/100-21	80/80-21	80/90-21	90/80-21				
2.75/3.00-21	2.75-21	3.00-21	80/90-21	80/100-21	90/80-21	90/90-21	100/80-21			



## VALVES FOR TUBELESS TYRES

Order #	Description	Per
2901001	TR412 – 33 x 11.5 mm (0.453") snap-in type	1
2901002	TR413 – 43 x 11.5 mm (0.453") snap-in type	1
2901004	Straight chrome 8 mm Ø clamp-on type	1
2901005	Straight chrome 11.5 mm Ø clamp-on type	1



## VALVE EXTENSION

Order #	Description	Per
2911003	90° angled bend	1



## VALVE CORES

Order #	Description	Per
2915001	Short type valve cores	4



## VALVE CAPS

Order #	Description	Per
2915004	Key type valve cap	4



## TYRE PUNCTURE REPAIR KIT

Order #	Description	Per
2941010	Tubeless tyre puncture repair kit containing three CO <sub>2</sub> canisters, tools, rubber inserts & carrying pouch. Instructions for use printed on type	1
2941004	Weldtite Cure-C-Cure motorcycle puncture repair kit for tubed tyres	10
2941014	JETVALVE 3 X CO <sub>2</sub> cylinders 16g	
2941024	JETVALVE CO <sub>2</sub> inflator(head/cylinder/sleeve)	
2941031	Self-seal patch kit-singles	



## SPOKE WRENCH

Order #	Description	Per
5854921	Open ended suitable for 5.7, 5.8, 6.1, 6.4, 6.7 & 6.9mm nipples	



## TYRE LEVERS

Order #	Description	Per
5864956	Italian made levers in carbonium steel. 175 mm long. Specially designed for use on mopeds and step-thrus type	3
5864959	Carbonium steel levers suitable for streetbikes 200 mm long type	1
5864960	Carbonium steel levers (as 5864959) with spoke hook, supplied in plastic wallet	3
5864962	Chrome vanadium levers suitable for off-road bikes. 240 mm long type	1
5864963	Chrome vanadium levers (as 5864962) with spoke hook, supplied in plastic wallet	3
5864965	Nº 9 spoon type 7" long	6 pair
5864968	Chrome vabadium levers for workshop use. 350 mm long	1
5864985	Nº 7 flat type 9" long	6 pair
5864990	Spoon type 12" long	1



## TYRE CHANGING TOOLS

Order #	Description	Per
5920021	Bike Workshop motorcycle tyre bead breaker JL-C03009 15"-21" wheel	
5920022	Bike Workshop tyre changer JL-C03003 15"-21" wheel	
5920023	Bike Workshop tyre changer JL-C03006 6"-21" wheel	
5920024	Bike Workshop tyre changer JL-C03001 8"-16" wheel	



# TOOLS & ACCESSORIES

## SPOKE WRENCH SET

This BS5502/3 tool comes with two sets of ends to fit various sizes of spoke nipples. One set is silver and made from aluminium and coloured silver. They are used for torquing spoke nipples to a fixed setting when installing. When that torque setting has been reached, the wrench clicks to indicate this.

The tool also has a second set of ends which are coloured black and made from steel - these are used for removing rusted spokes as they have a greater strength. The other end of the tool is used with these which does not have any torque setting.



Order #	Description
5805502	BIKESERVICE TOOLS 22PC SPOKE WRENCH SET w steel and aluminium ends
5805503	BIKESERVICE TOOLS 22PC SPOKE WRENCH SET w steel heads

## TYRE LEVER

Drop forged and tempered alloy steel. Designed for motorcycle tyre removal.

Order #	Description
5809953	280mm (11")
5805603	200mm (8")
5805604	400mm (15¾")



## CURVE TYPE TYRE LEVER

Order #	Description
5805612	350mm long, curved handle to improve torque



## 3PCS RIM PROTECTOR SET

Protects wheel rims from damage during tyre removal.

Order #	Description
5809952	Overall length 150mm



## MULTI-FUNCTIONAL TYRE VALVE TOOL

4-in-1 function:

1. Valve installer and remover
2. Pressure release
3. Valve core installer
4. Valve thread chaser

Order #	Description
5809952	Multi-functiona tyre valve tool



# TOOLS & ACCESSORIES

## **TYRE BEAD HOLDING CLAMP**

Designed to push and hold the bead down into the centre of the rim during installation and repair of off road tyres. Assists with using tyre levers to remove tyres. Plastic screw protects rim.



Order #	Description
---------	-------------

5805610	Tyre bead holding clamp
---------	-------------------------

## **TYRE VALVE EXTRACTOR BAR**

Steel bar with movable rubber sleeve offers maximum leverage during removal of snap-in valves. Prevents damage to alloy wheels.



Order #	Description
---------	-------------

5803699	Tyre valve extractor bar
---------	--------------------------

## **DIGITAL TYRE PRESSURE GAUGE**

Angled nozzle fits all types of motorcycle valves.

Calibration in Bar, kPa and PSI at the push of a button for unit change. One hand operation, accurate digital LCD reading. Auto Power off, low power consumption.

Measuring range 2-100 PSI (0.15 - 7.00 Bar)

Resolution 0.5 PSI (0.05 Bar or 5 kPa)

Accuracy +1% +0.5 PSI.

Operating temperature 10°C - 30°C / 50°F - 86°F.

Power 3V Lithium battery.



Order #	Description
---------	-------------

5803238	Digital tyre pressure gauge
---------	-----------------------------

## **3-in-1 FUNCTIONS TYRE PRESSURE GAUGE**

Function includes checking and lowering tyre pressure and checking tyre depth.

45° head for convenient valve access.

Tyre pressure checking range: 0-50 PSI / 0-350 kPa.

For tyre thread depth 0-10mm / 0-32 unit (1/32")



Order #	Description
---------	-------------

5803211	3-in-1 functions tyre pressure gauge
---------	--------------------------------------

# TECHNICAL INFORMATION

## TYPES OF TYRE

There are three tyre construction types:

- diagonal cross-ply
- radial ply
- bias belted

These may be:

- tubeless (no tube required) or
- tube type (requiring inner tube)

All three construction types are manufactured in several tread profiles. Tread patterns and profiles are available for front and rear positions.

Special tyres are available for sporting events, some of which are unsuitable for road use and are marked accordingly (normally NHS - Not for Highway Service).

## REGULATION MIXING OF TYRES

The intermixing of radial, bias belted and diagonal cross-ply tyres has legal requirements and motorcyclists are advised to consult the Motor Vehicles (Construction and Use) regulations obtainable from Her Majesty's Stationery Office.

Recommended fitment:

- 1 Diagonal cross-ply front and rear
- 2 Diagonal cross-ply front and bias belted rear
- 3 Diagonal cross-ply front and radial rear
- 4 Radial front and rear
- 5 Bias belted front and rear

Illegal fitment:

- 1 Radial front and diagonal cross-ply rear
- 2 Bias belted front and diagonal cross-ply rear
- 3 Radial front and bias belted rear

## TYRE LOAD AND SPEED MARKINGS

Radial, bias belted, and diagonal cross-ply tyres have markings to indicate their load and speed capabilities.

It is important that tyres are suitable for the maximum speed capability of the motorcycle. In some overseas countries this is a legal requirement.


Tyre speeds are shown in accordance with an alphabetical list of symbols indicating speeds at 10 km/h increments.

The relevant speed symbol is positioned near the size designation in conjunction with a load index: e.g. 120/90-18 65S, where '65' is the load index and 'S' the speed symbol. In the case of speed symbols 'V' and 'ZR', these are shown within the size designation, e.g. 120/90-V18. The size designation for 'V' and 'ZR' normally omits the load index. Details of speed symbols and load indices are shown in tables 1 and 2.

## WATCH YOUR TREAD

Tyre treads are designed to give good wet grip but the road surface condition plays the major part in tyre to road adhesion. In general, wet grip decreases as tyre tread patterns wear down or as the depth of surface water increases. Motorcyclists should take this into consideration and reduce speed when it is wet.

The legal limit of tyre tread depth in the UK for motorcycles over 50 cc is 1 mm across  $\frac{3}{4}$  of the width of the tread pattern and with visible tread on the remaining  $\frac{1}{4}$ . For motorcycles up to 50 cc the law requires that all the grooves of the original tread pattern must be clearly visible. The legal requirements may differ in other countries.



## SAFETY AND MAINTENANCE

Inflation pressures must be checked at least once a week. They should be checked only when the tyre is cold, since there is an increase in pressure when the tyre has warmed up after being run. A reliable pressure gauge should be used.

The recommended inflation pressures are vitally important for safe handling of the motorcycle. Pressures must be adjusted appropriately for solo and for pillion and pannier loads. It is dangerous to re-inflate a tyre which has been run flat or seriously under-inflated. Such tyres should be removed for inspection by a tyre specialist.

Tyres should be examined regularly, removing stones and other objects embedded in the tyre. Oil or grease should be removed with a suitable diluted detergent.

Lumps or bulges could indicate internal damage and should be examined by a tyre specialist without delay.

## AGE DETERIORATION

Tyres can deteriorate with age which shows as cracking of the tread and sidewall rubber, sometimes accompanied by carcass deformation. Cracking is usually an indication that tyres have been in service for an extremely long time, but rubber deterioration may be brought about by poor storage conditions. If cracking is severe, the tyre must be replaced.

## TUBES

Ensure that the correct size and type is fitted and that the valve stem tightly fits the hole in the rim. Always use a new tube when fitting a replacement tube type tyre or a tubeless tyre requiring an inner tube.

Tubes which are stretched, thinned or excessively repaired may deflate without warning and should not be re-fitted.

Tubes must always be used with tyres fitted to wire spoked wheels, irrespective of whether the tyre is tubeless or tube type, except for those wire spoked rims specifically designed for tubeless tyres. A rim band or a rim tape of the correct type must be fitted to protect the tube from spoke head damage.

Inner tubes of the correct size may only be used with tubeless tyres if correctly fitted and approved by the individual tyre manufacturer. It must, however, be emphasised that the result of fitting tubes in tubeless tyres is that, in the event of a puncture, the assembly will behave in exactly the same way as a tube type tyre and tube assembly, i.e. it is likely to lose pressure more rapidly than a tubeless tyre assembly.

Where tubes for certain low profile tubeless tyres are not available, an alternative size tube should not be fitted.

Tyres which are marked 'Tube Type' or are not marked 'Tubeless' must be fitted with an inner tube.

## VALVES

A new valve should be fitted when replacing tubeless tyres. When checking or adjusting inflation pressure always ensure that the valve is not leaking.

The fitment of a valve core with a steel spring is necessary for high speed usage. Particular care must be taken to ensure that the valve is the correct size and type for the rim.

When a tube is fitted and the rim valve hole is designed for a rubber snap-in tubeless valve, it will be necessary to fit an adapter collar or skirted lock nut to ensure correct valve location. Always fit a valve cap, preferably of the sealing type.

## REPAIRED TYRES

Repairs to motorcycle tyres and tubes must be carried out in accordance with current BS AU159 standards and should, therefore, be entrusted to a specialist.

All punctured or damaged tyres must be removed from the wheel for internal and external examination to ensure there is no hidden damage which would cause a later failure.

In order to avoid such a hazard, neither externally applied plug tyre repairs nor liquid sealants are recommended and tyre manufacturers cannot be responsible for problems resulting from their use.

## WHEELS AND RIMS

It is essential that the wheel size and type is a suitable fitment for the tyre and motorcycle concerned (see table 3).

Tyres must not be used on damaged or distorted wheels since this could result in tyre damage and deflation.

Car and motorcycle rims of the same nominal diameter have different dimensions and therefore car and motorcycle rims and tyres must not be inter-changed.

## REMOVAL AND FITTING OF TYRES

These operations should be entrusted only to a tyre specialist who has the necessary equipment and expertise. Improper fitting can result in damaged tyres and wheels. Direction arrows, where shown on the sidewall, indicate the direction of rotation of front and rear tyres and must not be ignored.

## GENERAL

Driving over pot-holes, kerbs or other obstructions, even at low speeds, can result in the weakening or fracture of the casing structure.

## E-MARKING

Motorcycle tyres will be supplied in accordance with 'The Motor Vehicle Tyre (Safety) Regulations 2003'.

**TABLE 1: TYRE SPEED MARKINGS**

Speed Symbol	Maximum motorcycle speed for which the tyre is suitable	
	km/h	mph
Moped (B)	50	30
F	80	50
J	100	62
K	110	69
L	120	75
M	130	81
P (or -)	150	95
Q	160	100
R	170	105
S	180	113
T	190	118
U	200	125
H	210	130
V*	over 210	over 130
R*	over 240	over 150
W*	over 270	over 168

**TABLE 2: TYRE LOAD INDICES AND RELATING MAXIMUM LOADS**

Load Index	Load kg	Load Index	Load kg	Load Index	Load kg	Load Index	Load kg
20	80	35	121	50	190	65	290
21	82.5	36	125	51	195	66	300
22	85	37	128	52	200	67	307
23	87.5	38	132	53	206	68	315
24	90	39	136	54	212	69	325
25	92.5	40	140	55	218	70	335
26	95	41	145	56	224	71	345
27	97	42	150	57	230	72	335
28	100	43	155	58	236	73	365
29	103	44	160	59	243	74	375
30	106	45	165	60	250	75	387
31	109	46	170	61	257	76	400
32	112	47	175	62	265	77	412
33	115	48	180	63	272	78	425
34	118	49	185	64	280	79	437


**\*The maximum approved speed may be marked on the tyre sidewall, for example: 57H meaning 57 is the max load of 230kg and H specifies 210km/h as the maximum speed**

# TECHNICAL INFORMATION

## SIZE DESIGNATIONS


Metric Designation

**130 / 90 - 16 67 H**



Imperial Designation

**5.00 H 16 4PR**



Alphabetical Designation

**M T 90 - 16 Load Range B**



## TYRE CONVERSION CHART


Imperial	Imperial 90% series	Metric 90% series	Metric 80% series	Alphabetical
2.25	-	70/90	80/80	-
2.50	3.10	80/90	80/80, 90/80	MH90
2.75	3.10	80/90	80/80, 90/80	-
3.00	3.60	90/90	100/80	MJ90
3.25	3.60	90/90	100/80	-
3.50	4.10	100/90	110/80	MM90
4.00	4.25, 4.60	110/90	120/80	MN90
4.25	4.70	120/90	130/80	MR90
4.50	5.10, 5.30	130/90	140/80	MT90
5.50	-	140/90	150/80	MU90
5.00	-	150/90	160/80	MV85

Motorcycle tyres are manufactured in a number of different countries with differing requirements in terms of load, dimensions and speed ratings. This has resulted in various size markings. This chart gives a guide to the relationship between various size markings.

THIS CHART DOES NOT IMPLY EXACT COMPARISONS.

TABLE 2: WHEEL RIMS

		RIM SIZE															
		1.20	1.35	1.5 WM0	1.6 WM1	1.85 WM2	MT1.85 2.15 WM3	MT2.15 MT2.5 2.50	MT2.75 2.75	MT3.00	MT3.5	MT4.0	MT4.5	MT5.0	MT5.25 MT5.5 MT5.75		
TYRE ASPECT	100%	2.25	2.25 2.50	2.25 2.50 2.75	2.25 2.50 2.75 3.00 3.10	2.75 3.00 3.10 3.25 3.50 3.60	3.00 3.10 3.25 3.50 3.60 4.10	3.25 3.50 3.60 4.00 4.10	4.00 4.10	4.00 4.10 5.00							
	90%				80/90	80/90 90/90	80/90 90/90 100/90 110/90	90/90 100/90 110/90 120/90 130/90 140/90	100/90 110/90 120/90 130/90 140/90 150/90	110/90 120/90 130/90 140/90 150/90							
	80%						110/80	110/80 120/80 130/80 140/80	110/80 120/80 130/80 140/80 150/80	110/80 120/80 130/80 140/80 150/80 160/80	150/80 160/80	160/80					
	70%							110/70	110/70 120/70 130/70	110/70 120/70 130/70 140/70 150/70 160/70 170/70	130/70 140/70 150/70 160/70 170/70	140/70 150/70 160/70 170/70	160/70 170/70	170/70			
	60%								120/60 130/60	120/60 130/60 140/60 150/60 160/60	130/60 140/60 150/60 160/60 170/60	140/60 150/60 160/60 170/60	160/60 170/60	170/60			
	55%															180/55	
	50%															190/50	



## SIZE MARKINGS

There are essentially three types of size marking used for motorcycle tyres:

- 1 Imperial
- 2 Imperial Low Profile
- 3 Millimetric

All of these systems describe the width (W), height (H) and rim diameter (dr) of a tyre size.

The Tyre Aspect Ratio drawing (on page 6) shows where these dimensions are measured from and the overall diameter (D).

The height of the tyre and hence its overall diameter (D) is controlled by the Aspect Ratio (Ar).

Tyre sizes for all motorcycle tyres, except those for specialised non-road legal applications, (pure racing tyres, ATV tyres, etc.) are expressed as:

Width/Aspect Ratio	Construction or Speed Symbol	Rim diameter  dr
W/R		

For older Imperial sizes the Aspect Ratio is 100% and not shown.

For example:

3.50 x 18 = 3.50" wide, 3.50" tall — 18" rim diameter

For the older Imperial Low Profile series the Aspect Ratio was 90% but as the widths of the tyres were unique, it was not shown. Where the tyre width was not unique, or where the Aspect Ratio was not 90%, the actual Aspect Ratio was shown.

For example:

- 4.10 x 19, where 4.10 is a unique width
- 4.10" wide 4.10 x 90% = 3.7" tall — 19" rim diameter
- 4.25/85-18, Where 4.25 is not a unique width and the Aspect Ratio is not 90%
- 4.25" wide/4.25 x 85% = 3.6" tall — 18" rim diameter

Perhaps the most easily understood size markings are the modern millimetric type.

For example:

- 110/90-18
- 110 mm wide/110 x 90% = 99 mm tall — 18" rim diameter

Although the mixing of Metric and Imperial units can, even in this case, cause some confusion.

The effect of changing the Aspect Ratio is to change the overall diameter of the tyre:

$$D = W \times Ar \times 2 + (25.4 \times dr)$$

Therefore:

- 120/100-18  $D = 120 \times 100\% \times 2 + (25.4 \times 18) = 697.2$  mm
- 120/90-18  $D = 120 \times 90\% \times 2 + (25.4 \times 18) = 673.2$  mm
- 120/80-18  $D = 120 \times 80\% \times 2 + (25.4 \times 18) = 649.2$  mm

Each of these tyres is 120 mm wide and fitted on an 18" rim but as you can see there is a significant difference in the overall diameters.

### SIZE DESIGNATION

SECTION ASPECT RIM  
WIDTH RATIO DIAMETER

### SERVICE DESCRIPTION

LOAD SPEED  
INDEX SYMBOL

DENOTES TYPE OF CONSTRUCTION

### MANUFACTURING DETAILS


0416 REFERS TO PRODUCTION DATE  
04 IS WEEK OF MANUFACTURE  
16 IS YEAR OF MANUFACTURE

TYRE CONSTRUCTION DETAILS

TUBELESS OR TUBE TYPE  
(NB: IF NEITHER IS SHOWN,  
A TUBE MUST BE FITTED)

ARROW DENOTING DIRECTION OF WHEEL ROTATION

ECE TYPE APPROVAL MARK & NUMBER  
E.G. E4 = NETHERLANDS





Category	Order #	Tyre size	LSR/PR	TT/TL	Pattern	E-mark	Tyre name	Brand
Street	2720200	2.50-8	4PR	TL	C177	NHS		CST
Street	2760036	3.00-8	38J	TL	C903	E		CST
Trail	2760207	3.00-14	4PR	TT	C186	E		Cheng Shin
Classic	2785018	150/90-15	74H	TL	M6011R	E	Classic	Maxxis
Classic	2785017	150/80-15	70H	TL	M6011R	E	Classic	Maxxis
Classic	2785007	170/80-15	77H	TL	M6011R	E	Classic	Maxxis
Street	2760174	130/90-16	67H	TL	C6502	E	Magsport	CST
Classic	2785020	130/90-16	73H	TL	M6011R	E	Classic	Maxxis
Classic	2785006	MT90-16	74H	TL	M6011F	E	Classic	Maxxis
Classic	2785011	MT90-16	74H	TL	M6011R	E	Classic	Maxxis
Classic	2785024	140/90-16	77H	TL	M6011R	E	Classic	Maxxis
Street	2780005	120/80-16	60H	TL	C906Y	E		Cheng Shin
Street	2760140	80/90-17	44S	TL	C918	E		CST
Street	2760142	90/90-17	49S	TL	C918	E		CST
Street	2760151	100/90-17	55P	TL	M918	E		Maxxis
Street	2760696	110/90-17	60P	TL	C6017	E		CST
Street	2760167	100/80-17	52H	TL	C6501	E	Magsport	CST
Street	2760145	100/80-17	52P	TL	C918	E		CST
Street	2760116	100/80-17	52S	TL	CM-NK01	E		CST
Street	2760149	110/80-17	57S	TL	C918	E		CST
Adventure	2760250	110/80-17	57S	TL	CM-AD01	E		CST
Street	2760118	110/80-17	57S	TL	CM-NK01	E		CST
Street	2760146	120/80-17	57S	TL	C918	E		CST
Classic	2785031	120/80-17	61S	TL	M6011F	E	Classic	Maxxis
Street	2760176	130/80-17	65H	TL	C6502	E	Magsport	CST
Street	2760697	130/80-17	65S	TL	C6017	E		CST
Adventure	2760260	140/80-17	69H	TL	CM509	E		CST
Adventure	2760280	140/80-17	69H	TL	M6017	E	Traxer	Maxxis
Adventure	2760253	110/70-17	54S	TL	CM-AD01	E		CST
Street	2760168	110/70-17	54H	TL	C6501	E	Magsport	CST
Street	2760181	110/70-17	54H	TL	CM615	E	Adreno	CST
Street	2781076	110/70-17	54H	TL	M6102	E	Promaxx	Maxxis
Sport	2787020	110/70-17	54H	TL	MA-SP	E	Supermaxx Sport	Maxxis

Category	Order #	Tyre size	LSR/PR	TT/TL	Pattern	E-mark	Tyre name	Brand
Adventure	2785057	120/70-17	58H	TL	CM-A3	E	Ride Ambro	CST
Adventure	2760297	120/70-ZR17	58W	TL	CM-A1	E	Ride Ambro	CST
Sport Touring	2789140	120/70-ZR17	58W	TL	CM-S1	E	Ride Migra	CST
Sport	2787023	120/70-ZR17	58W	TL	MA-SP	E	Supermaxx Sport	Maxxis
Sport Touring	2789012	120/70-ZR17	58W	TL	MA-ST2	E	Supermaxx ST	Maxxis
Street	2760175	130/70-17	62H	TL	C6502	E	Magsport	CST
Street	2781087	130/70-17	62H	TL	M6103	E	Promaxx	Maxxis
Street	2760693	130/70-17	62P	TL	C6577	E	Adreno	CST
Adventure	2760251	130/70-17	62S	TL	CM-AD01	E		CST
Street	2760119	130/70-17	62S	TL	CM-NK01	E		CST
Sport	2787021	140/70-17	66H	TL	MA-SP	E	Supermaxx Sport	Maxxis
Street	2760120	140/70-17	66S	TL	CM-NK01	E		CST
Street	2781088	150/70-17	69H	TL	M6103	E	Promaxx	Maxxis
Adventure	2760293	150/70-17	69V	TL	CM-A1	E	Ride Ambro	CST
Adventure	2786019	150/70-17	69V	TL	MA-ADV	E	MaxxVenture	Maxxis
Adventure	2760252	150/60-17	66S	TL	CM-AD01	E		CST
Street	2760183	150/60-17	66H	TL	CM616	E	Adreno	CST
Sport	2787022	150/60-17	66H	TL	MA-SP	E	Supermaxx Sport	Maxxis
Street	2760121	150/60-17	66S	TL	CM-NK01	E		CST
Adventure	2785058	160/60-17	69H	TL	CM-A3	E	Ride Ambro	CST
Adventure	2760298	160/60ZR17	69W	TL	CM-A1	E	Ride Ambro	CST
Sport Touring	2789141	160/60-ZR17	69W	TL	CM-S1	E	Ride Migra	CST
Sport	2787024	160/60-ZR17	69W	TL	MA-SP	E	Supermaxx Sport	Maxxis
Sport Touring	2789123	160/60-ZR17	69W	TL	MA-ST2	E	Supermaxx ST	Maxxis
Adventure	2760294	170/60-17	72V	TL	CM-A1	E	Ride Ambro	CST
Adventure	2786020	170/60-ZR17	72W	TL	MA-ADV	E	MaxxVenture	Maxxis
Sport Touring	2789142	180/55-ZR17	73W	TL	CM-S1	E	Ride Migra	CST
Sport	2787025	180/55-ZR17	73W	TL	MA-SP	E	Supermaxx Sport	Maxxis
Sport Touring	2789115	180/55-ZR17	73W	TL	MA-ST2	E	Supermaxx ST	Maxxis
Sport	2787027	190/55-ZR17	75W	TL	MA-SP	E	Supermaxx Sport	Maxxis
Sport Touring	2789135	190/55-ZR17	75W	TL	MA-ST2	E	Supermaxx ST	Maxxis
Sport Touring	2789143	190/50-ZR17	73W	TL	CM-S1	E	Ride Migra	CST
Sport Touring	2789130	190/50-ZR17	73W	TL	MA-ST2	E	Supermaxx ST	Maxxis

Category	Order #	Tyre size	LSR/PR	TT/TL	Pattern	E-mark	Tyre name	Brand
Street	2760002	2.50-17	38L	TL	C107	E		CST
Street	2760155	2.50-17	38L	TL	C919	E		CST
Street	2760102	2.50-17	4PR	TL	C108	E		CST
Street	2760022	2.75-17	41P	TL	C117	E		CST
Trail	2760225	4.60-17	4PR	TT	C858	E		Cheng Shin
Street	2760160	80/100-18	47P	TL	C910	E		CST
Street	2760169	90/90-18	51H	TL	C6501	E	Magsport	CST
Street	2760161	90/90-18	51P	TL	C6011	E		CST
Street	2760158	90/90-18	57P	TL	C905	E		CST
Street	2760698	100/90-18	56S	TL	C6017	E		CST
Street	2781089	110/90-18	61H	TL	M6103	E	Promaxx	Maxxis
Classic	2785028	120/90-18	65H	TL	M6011F	E	Classic	Maxxis
Street	2781086	120/90-18	65H	TL	M6103	E	Promaxx	Maxxis
Street	2760162	100/80-18	59P	TL	C905	E		CST
Street	2760004	2.50-18	40L	TL	C113	E		CST
Street	2760157	2.75-18	42P	TL	C910	E		CST
Street	2760005	3.00-18	47P	TL	C180	E		CST
Street	2760159	3.00-18	47P	TL	C6039	E		CST
Trail	2760229	3.00-18	48N	TT	C858	E		Cheng Shin
Trail	2760209	3.00-18	4PR	TT	C186	E		CST
Street	2760007	3.50-18	56P	TL	C180	E		CST
Trail	2760204	3.50-18		TT	C858	E		CST
Trail	2760320	4.00-R18	64M	TT	M7320	E	Trailmaxx	Maxxis
Trail	2760219	4.10-18	4PR	TT	C858	E		Cheng Shin
Street	2760699	90/90-19	52P	TL	C6017	E		CST
Street	2760171	100/90-19	57H	TL	C6501	E	Magsport	CST
Classic	2785050	100/90-19	57H	TL	M6011F	E	Classic	Maxxis
Classic	2785048	110/90-19	62H	TL	M6011F	E	Classic	Maxxis
Adventure	2760264	110/80-19	59V	TL	CM509	E		CST
Adventure	2760291	110/80-19	59V	TL	CM-A1	E	Ride Ambro	CST
Adventure	2785059	110/80-19	59V	TL	CM-A3	E	Ride Ambro	CST
Adventure	2786017	110/80-19	59V	TL	MA-ADV	E	MaxxVenture	Maxxis
Adventure	2760292	120/70-19	60V	TL	CM-A1	E	Ride Ambro	CST

Category	Order #	Tyre size	LSR/PR	TT/TL	Pattern	E-mark	Tyre name	Brand
Adventure	2786018	120/70-19	60W	TL	MA-ADV	E	MaxxVenture	Maxxis
Sport Touring	2788123	160/60ZR17	69W	TL	MA3DS	E	Supermaxx Diamond	Maxxis
Trail	2760211	3.00-19	4PR	TT	C186	E		Cheng Shin
Classic	2785054	80/90-21	48H	TL	M6011F	E	Classic	Maxxis
Adventure	2760266	90/90-21	54H	TL	CM509	E		CST
Adventure	2760290	90/90-21	54H	TL	CM-A1	E	Ride Ambro	CST
Street	2760700	90/90-21	54P	TL	C6017	E		CST
Trail	2760319	2.75-21	45M	TT	M7319	E	Trailmaxx	Maxxis
Trail	2760223	2.75-21	45P	TT	C858	E		CST
Trail	2760202	3.00-23	4PR	TT	C186	E		Cheng Shin
Scooter	2760650	90/90-10	50J	TL	C922	E		CST
Scooter	2760656	100/90-10	56J	TL	C922	E		CST
Scooter	2760546	100/90-10	56J	TL	M6029	E		Maxxis
Scooter	2760551	110/80-10	58J	TL	M6029	E		Maxxis
Scooter	2760554	120/70-10	54J	TL	M6029	E		Maxxis
Scooter	2760553	130/70-10	59J	TL	M6029	E		Maxxis
Scooter	2760106	3.50-10	4PR	TT	C131	E		Cheng Shin
Scooter	2760670	90/90-12	44J	TL	C922	E		CST
Scooter	2760555	90/90-12	44J	TL	M6029	E		Maxxis
Scooter	2760705	110/70-12	47P	TL	C6017	E		CST
Scooter	2760729	110/70-12	53J	TL	C922	E		CST
Scooter	2760730	120/70-12	51J	TL	C922	E		CST
Scooter	2760560	120/70-12	51J	TL	M6029	E		Maxxis
Scooter	2760563	120/70-12	51L	TL	M6029	E		Maxxis
Scooter	2760706	120/70-12	58P	TL	C6017	E		CST
Scooter	2760680	120/70-12	58P	TL	C922	E		CST
Scooter	2760685	130/70-12	56J	TL	C922	E		CST
Scooter	2760561	130/70-12	56J	TL	M6029	E		Maxxis
Scooter	2760565	130/70-12	56L	TL	M6029	E		Maxxis
Scooter	2760567	140/70-12	65P	TL	M6029	E		Maxxis
Scooter	2760743	110/70-13	54L	TL	C6525	E		CST
Scooter	2760731	120/70-13	59S TL	TL	CM-SC01	E		CST
Scooter	2760690	130/70-13	57J	TL	C922	E		CST

Category	Order #	Tyre size	LSR/PR	TT/TL	Pattern	E-mark	Tyre name	Brand
Scooter	2760584	130/70-13	57P	TL	M6029	E		Maxxis
Scooter	2760744	130/70-13	63P	TL	C6525	E		CST
Scooter	2760732	130/70-13	63P	TL	CM-SC01	E		CST
Scooter	Add Q2 / Q3	150/70-13	64S TL	TL	CM-SC01	E		CST
Scooter	2760585	120/60-13	55P	TL	M6029	E		Maxxis
Scooter	2760573	130/60-13	53J	TL	M6029	E		Maxxis
Scooter	Add Q2 / Q3	130/60-13	53J TL	TL	CM-SC01	E		CST
Scooter	2760574	130/60-13	60P	TL	M6029	E		Maxxis
Scooter	Add Q2 / Q3	140/60-13	57P	TL	CM-SC01	E		CST
Scooter	2760576	140/60-13	63L	TL	M6029	E		Maxxis
Scooter	Add Q2 / Q3	140/60-13	63S TL	TL	CM-SC01	E		CST
Scooter	2760519	80/90-14	40P	TL	C922F	E		CST
Scooter	2760691	90/90-14	46P	TL	C6577	E	Adreno	CST
Scooter	2760520	90/90-14	46P	TL	C922R	E		CST
Scooter	2760589	100/90-14	57P	TL	M6029	E		Maxxis
Scooter	2760740	100/90-14	57P TL	TL	CM-SC01	E		CST
Scooter	Add Q2 / Q3	100/80-14	48P TL	TL	CM-SC01	E		CST
Scooter	Add Q2 / Q3	110/80-14	59S TL	TL	CM-SC01	E		CST
Scooter	2760137	120/80-14	58L	TL	C918	E		CST
Scooter	Add Q2 / Q3	120/80-14	58S TL	TL	CM-SC01	E		CST
Scooter	2760587	100/70-14	50P	TL	M6029	E		Maxxis
Scooter	2760741	110/70-14	50P TL	TL	CM-SC01	E		CST
Scooter	2760733	120/70-14	55P TL	TL	CM-SC01	E		CST
Scooter	Add Q2 / Q3	130/70-14	65P	TL	CM-SC01	E		CST
Scooter	2760734	140/70-14	68S TL	TL	CM-SC01	E		CST
Scooter	Add Q2 / Q3	150/70-14	66S TL	TL	CM-SC01	E		CST
Scooter	2760735	140/60-14	64P TL	TL	CM-SC01	E		CST
Scooter	Add Q2 / Q3	140/60-14	64S	TL	CM-SC01	E		CST
Scooter	2760742	120/70-15	56H	TL	CM-SC01	E		CST
Scooter	2760736	120/70-15	56S TL	TL	CM-SC01	E		CST
Scooter	2760737	160/60-15	67H	TL	CM-SC01	E		CST
Scooter	2760695	80/90-16	43P	TL	C922F	E		CST
Scooter	2760738	100/80-16	50P TL	TL	CM-SC01	E		CST
Scooter	2760739	120/80-16	60P TL	TL	CM-SC01	E		CST

Category	Order #	Tyre size	LSR/PR	TT/TL	Pattern	E-mark	Tyre name	Brand
Scooter	2760586	80/80-14	48P	TL	M6029	E		Maxxis
Scooter	2760694	90/80-17	46P	TL	C6577	E	Adreno	CST
Street	2760117	110/70-17	54S	TL	CM-NK01	E		CST
MX	2760363	60/100-10	33J	TT	M7322F	NHS		Maxxis
MX GP	2760386	80/100-10	46J	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
MX	2760382	2.50-10	33J	TT	M7304	NHS	Maxxcross IT	Maxxis
MX	2760395	2.75-10	38J	TT	M7305	NHS	Maxxcross IT	Maxxis
MX GP	2760372B	2.75-10	38J	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
MX	2760364	60/100-12	36J	TT	M7322F	NHS		Maxxis
MX GP	2760364B	60/100-12	36J	TT	M7332F	NHS	Maxxcross MX-ST+	Maxxis
MX GP	2760374B	80/100-12	41M	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
MX	2760390	80/100-12	50M	TT	M7305	NHS	Maxxcross IT	Maxxis
MX	2760391	60/100-14	30M	TT	M7304	NHS	Maxxcross IT	Maxxis
MX GP	2760368B	60/100-14	30M	TT	M7332F	NHS	Maxxcross MX-ST+	Maxxis
MX EBIKE	2760398	90/100-14	49M	TT	CM709	NHS		CST
MX	2760383	90/100-14	49M	TT	M7305	NHS	Maxxcross IT	Maxxis
MX GP	2760375B	90/100-14	49M	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
MX EBIKE	2760399	90/100-16	51M	TT	CM709	NHS		CST
MX	2760392	90/100-16	51M	TT	M7305	NHS	Maxxcross IT	Maxxis
MX GP	2760376B	90/100-16	51M	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
MX EBIKE	2760396	70/100-17	40M	TT	CM708	NHS		CST
MX	2760380	70/100-17	40M	TT	M7304	NHS	Maxxcross IT	Maxxis
MX GP	2760369B	70/100-17	40M	TT	M7332F	NHS	Maxxcross MX-ST+	Maxxis
MX	2760385E	110/100-18	64M	TT	M7305	E	Maxxcross IT	Maxxis
MX GP	2760362B	110/100-18	64M	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
MX	2760386E	120/100-18	68M	TT	M7305	E	Maxxcross IT	Maxxis
MX GP	2760365B	120/100-18	68M	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
MX	2760356	100/90-18	56M	TT	CM734	E	Bite MX	CST
Enduro	2760315	120/90-18	65R	TT	M7314	E	Maxxcross Enduro	Maxxis
FIM Enduro	2760359	120/80-18	62M	TT	CM732	E		CST
FIM Enduro	2760366	140/80-18	70M	TT	CM724	E		CST
Enduro	2760316	140/80-18	70R	TT	M7314K	E	Maxxcross Enduro	Maxxis
Enduro	2760317	140/80-18	70R	TT	M7314K	E	Maxxcross Enduro	Maxxis

Category	Order #	Tyre size	LSR/PR	TT/TL	Pattern	E-mark	Tyre name	Brand
Enduro	2760307	140/80-18	70R	TT	M7324	E	MaxxEnduro	Maxxis
MX GP	2760370B	70/100-19	40M	TT	M7332F	NHS	Maxxcross MX-ST+	Maxxis
MX EBIKE	2760397	70/100-19	42M	TT	CM708	E		CST
MX EBIKE	2760352	70/100-19	42M	TT	CM713	E		CST
MX	2760393	70/100-19	42M	TT	M7304	E	Maxxcross IT	Maxxis
MX EBIKE	2760353	80/100-19	49M	TT	CM713	E		CST
MX	2760357	100/90-19	57M	TT	CM734	NHS	Bite MX	CST
MX	2760387E	100/90-19	57M	TT	M7305	E	Maxxcross IT	Maxxis
MX GP	2760308	100/90-19	57M	TT	M7326	NHS	Maxxcross MX-MH	Maxxis
MX GP	2760349	100/90-19	57M	TT	M7328	NHS	Maxxcross MX-SM	Maxxis
MX GP	2760377B	100/90-19	57M	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
MX	2760358	110/90-19	62M	TT	CM734	NHS	Bite MX	CST
MX	2760388E	110/90-19	62M	TT	M7305	E	Maxxcross IT	Maxxis
MX GP	2760309	110/90-19	62M	TT	M7326	NHS	Maxxcross MX-MH	Maxxis
MX GP	2760350	110/90-19	62M	TT	M7328	NHS	Maxxcross MX-SM	Maxxis
MX GP	2760378B	110/90-19	62M	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
MX	2760389	120/90-19	66M	TT	M7305	NHS	Maxxcross IT	Maxxis
MX GP	2760384	120/80-19	63M	TT	M7332R	NHS	Maxxcross MX-ST+	Maxxis
Dirt Track Racing	2761440	27.5X7.5-19	4PR	TT	M7302	E	DTR-1	Maxxis
Dirt Track Racing	2761435	27.5X7.5-19	4PR	TT	M7302	E	DTR-1	Maxxis
Enduro	2760301	80/100-21	51M	TL	M7311	E	MaxxEnduro	Maxxis
MX	2760351	80/100-21	51M	TT	CM733	NHS	Bite MX	CST
MX	2760351B	80/100-21	51M	TT	CM733	E	Bite MX	CST
MX	2760381E	80/100-21	51M	TT	M7304	E	Maxxcross IT	Maxxis
MX GP	2760371B	80/100-21	51M	TT	M7332F	NHS	Maxxcross MX-ST+	Maxxis
FIM Enduro	2760361	90/90-21	54M	TT	CM723	E		CST
FIM Enduro	2760360	90/90-21	54M	TT	CM731	E		CST
Enduro	2760311	90/90-21	54R	TT	M7313	E	Maxxcross Enduro	Maxxis
Enduro	2760302	90/90-21	54R	TT	M7332F	E	MaxxEnduro	Maxxis

## ANCLA

**CST**

### TERRAIN GUIDE

STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD
--------	------	--------------	-----------	----------

Aggressive sweeping tread design for superb traction in soft mud and dirt terrain

ITEM No.	SIZE	E-MARK	PATTERN
2761234	24x11.00-10 6PR 70J	✓	C9312
2761226	AT24x10.00-11 6PR 48J	✓	C9312
2761220	AT24x8.00-12 6PR 40J	✓	C9311
2761221	AT25x8.00-12 6PR 43J	✓	C9311
2761227	AT25x10.00-12 6PR 50J	✓	C9312
2761227B	25x10.00-12 4PR 51M	✓	C9312
2761232	25x11.00-12 4PR 52M	✓	C9312
2761222	26x9.00-12 4PR 50M	✓	C9311
2761228	26x11.00-12 4PR 55M	✓	C9312
2761233	26x12.00-12 6PR 59M	✓	C9312
2761222B	AT26x9.00-12 6PR 49J	✓	C9311
2761228B	AT26x11.00-12 6PR 55J	✓	C9312
2761225	AT28x9.00-14 6PR 52J	✓	C9311
2761231	AT28x11.00-14 6PR 58J	✓	C9312



## SURTRAK

**MAXXIS**

### TERRAIN GUIDE

STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD
--------	------	--------------	-----------	----------

ATV only dual direction – outstanding grip in mud or sand direction

ITEM No.	SIZE	E-MARK	PATTERN
2760480	24x8.00-12 2PR 28J	✓	C9208
2760479	24x10.00-11 2PR 36J	✓	C9208
2760476	25x8.00-12 2PR 31J	✓	C9208
2760477	25x10.00-12 2PR 38J	✓	C9209



## WILDCAT 2

**CST**

### TERRAIN GUIDE

STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD
--------	------	--------------	-----------	----------

Intermediate terrain for a comfortable ATV ride

ITEM No.	SIZE	E-MARK	PATTERN
2760462	24x8.00-12 6PR	✓	CU19
2760466	24x10.00-11 44J	✓	CU20
2760464	25x8.00-12 6PR 42M	✓	CU19
2760468	25x10.00-12 6PR 49M	✓	CU20



## UNIVERSAL

**CST**

### TERRAIN GUIDE

STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD
--------	------	--------------	-----------	----------

General purpose tyre, ideal for leisure, trailer & children's ATVs

ITEM No.	SIZE	E-MARK	PATTERN
2760416	145x70-6 35kg	x	C829
2760403	16x8.00-7 9J	✓	C829





# ATV/UTV

## BIGHORN 2

**MAXXIS**

### TERRAIN GUIDE

STREET

HARD

INTERMEDIATE

LOAM/SOFT

SAND/MUD

The iconic low-drag radial Big Horn 2.0 – transmit more power in soft/intermediate terrain

ITEM No.	SIZE	E-MARK	PATTERN
2761140	AT25x8.00R12 6PR 43N	✓	MU09
2761160	AT25x10.00R12 6PR 50N	✓	MU10
2761142	AT26x9.00R12 6PR 49N	✓	MU09
2761162	AT26x11.00R12 6PR 55N	✓	MU10
2761148	27x9.00R14 4PR 54K	✓	MU09
2761168	27x11.00R14 4PR 73K	✓	MU10
2761171	30x10.00R14 8PR 71M	✓	MU10



## BIGHORN 3

**MAXXIS**

### TERRAIN GUIDE

STREET

HARD

INTERMEDIATE

LOAM/SOFT

SAND/MUD

Latest evolution of the Big Horn – advanced pattern with specific front tyre for improved control

ITEM No.	SIZE	E-MARK	PATTERN
2761121	26x9.00R12 6PR 48M	✓	M301
2761125	26x11.00R12 6PR 55M	✓	M302
2761122	26x9.00R14 6PR 47M	✓	M301
2761126	26x11.00R14 6PR 54M	✓	M302
2761123	27x9.00R14 6PR 49M	✓	M301
2761127	27x11.00R14 6PR 56M	✓	M302
2761124	29x9.00R14 6PR 55M	✓	M301
2761128	29x11.00R14 6PR 60M	✓	M302



## STAG

**CST**

### TERRAIN GUIDE

STREET

HARD

INTERMEDIATE

LOAM/SOFT

SAND/MUD

The most aggressive UTV/SXS 8PR radial tyre in the range – ultimate traction for the toughest terrain

ITEM No.	SIZE	E-MARK	PATTERN
2761172	25x8.00R12 8PR 46M	✓	CU58
2761182	25x10.00R12 8PR 53M	✓	CU58
2761174	26x9.00R12 8PR 52M	✓	CU58
2761184	26x11.00R12 8PR 59M	✓	CU58
2761178	27x9.00R12 8PR 55M	✓	CU58
2761186	27x11.00R12 8PR 61M	✓	CU58
2761176	26x9.00R14 8PR 51M	✓	CU58
2761187	26x11.00R14 8PR 58M	✓	CU58
2761180	27x9.00R14 8PR 53M	✓	CU58
2761188	27x11.00R14 8PR 60M	✓	CU58
2761190	29x9.00R14 8PR 58M	✓	CU58
2761192	29x11.00R14 8PR 64M	✓	CU58
2761194	30x10.00R14 6PR 59M	✓	CU58



## BEHEMOTH

CST

TERRAIN GUIDE	STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD

The mighty 8PR radial Behemoth for UTV/SXS trail, track and yard applications

ITEM No.	SIZE	E-MARK	PATTERN
2761260	25x8.00R12 8PR 46M	✓	CU07
2761272	25x10.00R12 8PR 53M	✓	CU08
2761262	26x9.00R12 8PR 52M	✓	CU07
2761270	26x11.00R12 8PR 59M	✓	CU08
2761266	27x9.00R12 8PR 55M	✓	CU07
2761278	27x11.00R12 8PR 61M	✓	CU08
2761264	26x9.00R14 8PR 51M	✓	CU07
2761274	26x11.00R14 8PR 58M	✓	CU08
2761268	27x9.00R14 8PR 53M	✓	CU07
2761276	27x11.00R14 8PR 60M	✓	CU08
2761280	28x10.00R14 8PR 59M	✓	CU08
2761282	30x10.00R14 8PR 63M	✓	CU08
2761284	28x10.00R15 8PR 58M	✓	CU08
2761286	30x10.00R15 8PR 63M	✓	CU08



## ABUZZ

CST

TERRAIN GUIDE	STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD

Tough all-terrain tyre designed for hard-pack, firm and rocky conditions

ITEM No.	SIZE	E-MARK	PATTERN
2761201	AT25x8.00-12 6PR 43J	✓	CU01
2761206	AT25x10.00-12 6PR 50J	✓	CU02
2761202	AT26x8.00-12 6PR 46J	✓	CU01
2761207	AT26x10.00-12 6PR 52J	✓	CU02
2761203	27x9.00-12 6PR 52J	✓	CU01



## MU511/MU521

MAXXIS

TERRAIN GUIDE	STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD

Developed and chosen for the latest Polaris XP OE application

ITEM No.	SIZE	E-MARK	PATTERN
2760410	27x9.00R12 6PR 73J	✓	MU511
2760411	29x11.00R12 6PR 85J	✓	MU521



## TERRAHAWK

CST

TERRAIN GUIDE	STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD

Premium quality tyre designed to minimise impact on lawns and turf

ITEM No.	SIZE	E-MARK	PATTERN
2761248	25x8.00-12 4PR 68D	✓	C9323
2761249	25x10.00-12 4PR 84D	✓	C9323
2761250	25x9.00-12 4PR 58J	✓	C9323
2761251	25x11.00-12 4PR 65J	✓	C9323



# ATV/UTV

## ROAD TYRES

TERRAIN GUIDE		STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD
ITEM No.	SIZE					
2761501	26x9.00R12 6PR 74N			✓		
2761500	26x11.00R12 6PR 79N			✓		



CEROS



SPEARZ



STREETMAXX



STRYDER



AMBUSH



PRO-TRAK



PULSE



PULSE MX



RAZR 2



RAZR PLUS



RAZR XM

TERRAIN GUIDE		STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD
ITEM No.	SIZE					
2760865	AT25x8.00-12 (205/80-12) 4PR 43N			✓		
2760883	AT25x10.00-12 (255/65-12) 4PR 50N			✓		
2760810	175/70-10 (21x7.00-10) 4PR 42N			✓		
2760837	255/40-10 (18x10.00-10) 4PR 40N			✓		
2760830	215/50-10 (20x10.00-10) 4PR 50N			✓		
2760840	255/60-10 (22x10.00-10) 4PR 55N			✓		
2760820	185x88-12 (25x8.00-12) 4PR 40N			✓		
2760850	270/60-12 (25x10.00-12) 4PR 50N			✓		
2760980	AT17.5x7.50-10 6PR 35N			✓		
2760985	AT18x10.00-10 6PR 37N			✓		
2760981	AT25x8.00-12 6PR			✓		
2760986	AT25x10.00-12 6PR 47N			✓		
2760982	AT26x8.00-14 6PR 47N			✓		
2760987	AT26x10.00-14 6PR 54N			✓		
2760983	AT26x9.00-12 6PR			✓		
2760988	AT26x11.00-12 6PR			✓		
2760984	AT26x9.00-14 6PR			✓		
2760989	AT26x11.00-14 6PR 57N			✓		

## RACE TYRES

TERRAIN GUIDE		STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD
ITEM No.	SIZE					
2761244	18x10.00-8 4PR 34M			✓		
2761245	20x11.00-9 4PR 39M			✓		
2761241	21x7.00-10 4PR 31M			✓		
2760945	AT20x7.00-8 2PR 16J			✓		
2760940	AT18x10-8 4PR 46J			✓		
2760942	AT20x11.00-9 6PR 43F			✓		
2760948	20x6.00-10 34J 4PR			✓		
2761004	21x7-10.00 6PL 30J			✓		
2761016	AT20x11.00-9 6PL 43J			✓		
2760935	AT18x10.00-8 4PR			✓		
2760938	AT20x6.00-10 4PR			✓		
2760932	AT20x11.00-9 6PR 32M			✓		

TERRAIN GUIDE		STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD
ITEM No.	SIZE					
2760920	AT20x6.00-10 2PR 23M INT/HARD TRACK			✓		

TERRAIN GUIDE		STREET	HARD	INTERMEDIATE	LOAM/SOFT	SAND/MUD
ITEM No.	SIZE					
2760922	AT20x6.00-10 2PR 23M SOFT/INT TRACK			✓		

# MOTORCYCLE TYRE CATALOGUE 2023

ROAD • ADVENTURE • SCOOTER • OFF-ROAD

# **BICKERS**

Carr Road  
Felixstowe  
Suffolk IP11 3RX

T: 01394 604040

[www.bickers-online.co.uk](http://www.bickers-online.co.uk)

[sales@bickers-online.co.uk](mailto:sales@bickers-online.co.uk)

