

1 Identification

- **Product identifier**
- **Trade name: V-SYNT 4T 15W/50**
- **Application of the substance / the mixture**
Engine oil
Only for proper handling.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
MOTOREX AG
Bern-Zürich-Strasse 31, Postfach
CH-4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com
- **Information department: msds@motorex.com**
- **Emergency telephone number:**
USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington, VA 22209)

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

	Mineral oils (mixture) Aspiration Hazard 1, H304	≥1-≤7.5%
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8	Distillates (petroleum), hydrotreated heavy paraffinic Aspiration Hazard 1, H304	≥2.5-≤3%

(Contd. on page 2)

Printing date 03/13/2023

Reviewed on 11/24/2022

Trade name: V-SYNT 4T 15W/50

(Contd. of page 1)

Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.

4 First-aid measures**Description of first aid measures**

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Protective Action Criteria for Chemicals**

PAC-1:

68037-01-4	1-Decene, homopolymer, hydrogenated	30 mg/m ³
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	140 mg/m ³
122-39-4	diphenylamine	30 mg/m ³

PAC-2:

68037-01-4	1-Decene, homopolymer, hydrogenated	330 mg/m ³
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	1,500 mg/m ³
122-39-4	diphenylamine	180 mg/m ³

PAC-3:

68037-01-4	1-Decene, homopolymer, hydrogenated	2,000 mg/m ³
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	8,900 mg/m ³
122-39-4	diphenylamine	220 mg/m ³

Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

US

(Contd. on page 3)

Trade name: V-SYNT 4T 15W/50

(Contd. of page 2)

7 Handling and storage

- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
The recommended storage temperature is (deg.C): ≤50°C
- **Storage class:** 10
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Additional information about design of technical systems:** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
- **Breathing equipment:**
Not necessary if room is well-ventilated.
Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.
- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Color:** yellow brown
- **Odor:** Characteristic
- **Odor threshold:** Not determined.
- **Melting point/Melting range:** Undetermined.

(Contd. on page 4)

Trade name: V-SYNT 4T 15W/50

(Contd. of page 3)

· Boiling point/Boiling range:	Undetermined.
· Flammability (solid, gaseous):	Not applicable.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>200 °C (>392 °F)
· Decomposition temperature:	Not determined.
· pH-value:	Not determined.
· Viscosity:	
· Kinematic:	141 mm ² /s @ 40 °C (285.8 mm ² /s @ 104 °F)
· Consistency	
· Dynamic:	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	0.869 g/cm ³ (7.252 lbs/gal) (ASTM D 4052)
· Relative density	Not determined.
· Vapor density	Not determined.

· Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Danger of explosion:	Product does not present an explosion hazard.
· Solvent separation test	
· VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
· VOC (EU)	0.00 %
· Change in condition	
· Evaporation rate	Not determined.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)

(Contd. on page 5)

Trade name: V-SYNT 4T 15W/50

(Contd. of page 4)

Inhalative	NOAEL	150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m ³ (rat)
	NOAEL	980 mg/m ³ (rat)

- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **Specific target organ toxicity - single exposure**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity - repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

122-39-4	diphenylamine	2B
----------	---------------	----

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

LL50	10,000 mg/l/96h (aquatic invertebrates)
------	---

	100 mg/l/96h (fish)
--	---------------------

LL50	10,000 mg/l/72h (aquatic invertebrates)
------	---

LL50	10,000 mg/l/48h (aquatic invertebrates)
------	---

LL50	10,000 mg/l/24h (aquatic invertebrates)
------	---

EL50	10,000 mg/l/48h (aquatic invertebrates)
------	---

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential**

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

Partition coefficient	>6 [---] (log Kow) (Bioaccumulation)
-----------------------	--------------------------------------

- **Mobility in soil** No further relevant information available.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 6)

US

Printing date 03/13/2023

Reviewed on 11/24/2022

Trade name: V-SYNT 4T 15W/50

(Contd. of page 5)

- **Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**

- **DOT, ADR/RID/ADN, IMDG, IATA** Void

- **UN proper shipping name**

- **DOT, ADR/RID/ADN, IMDG, IATA** Void

- **Transport hazard class(es)**

- **DOT, ADR/RID/ADN, ADN, IMDG, IATA**

- **Class** Void

- **Packing group**

- **DOT, ADR/RID/ADN, IMDG, IATA** Void

- **Environmental hazards:** Not applicable.

- **Special precautions for user** Not applicable.

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

- **UN "Model Regulation":** Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

122-39-4 | diphenylamine

- **TSCA (Toxic Substances Control Act):**

72623-87-1 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

ACTIVE

(Contd. on page 7)

Trade name: V-SYNT 4T 15W/50

(Contd. of page 6)

26401-35-4	DTDA	ACTIVE
9003-29-6	Polybuten (Isobutylene-Buten-Copolymer)	ACTIVE
68037-01-4	1-Decene, homopolymer, hydrogenated	ACTIVE
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	ACTIVE
2215-35-2	Zink-O,O',O',O'-tetrakis(1,3-dimethylbutyl)bis(dithiophosphat)	ACTIVE
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts	ACTIVE
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	ACTIVE
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic	ACTIVE
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	ACTIVE
91273-04-0	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine	ACTIVE
122-39-4	diphenylamine	ACTIVE
106-20-7	bis(2-ethylhexyl)amine	ACTIVE
288-88-0	1,2,4-triazole	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65
· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories
· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

122-39-4 | diphenylamine

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· Department issuing SDS: Abteilung Produktsicherheit

· Date of preparation / last revision 03/13/2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 03/13/2023

Reviewed on 11/24/2022

Trade name: V-SYNT 4T 15W/50

(Contd. of page 7)

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Aspiration Hazard 1: Aspiration hazard – Category 1
- * **Data compared to the previous version altered.**

US